

**Stan Mayfield Working Waterfronts Application Instructions Webinar
Questions and Answers
September 13, 2023**

Question Asked

Answer

Can applications be hand delivered?

Yes, applications can be hand delivered to
3800 Commonwealth Blvd., MS #115
Tallahassee, FL 32399-3000

Is there a definition of a “Seafood House”?
Is that a restaurant or a facility that
processes seafood?

Rule 62-820.002(21) defines “Seafood House”
as “a facility that manufactures, processes,
packs, holds or prepares seafood for
wholesale, whose primary source of income is
derived from these activities, that is licensed by
the Department of Agriculture and Consumer
Services as a Food Establishment pursuant to
Section 500.02, F.S., or a Shellfish Processor
licensed pursuant to Section 597.020, F.S. A
Seafood House may have retail or food serving
facilities in conjunction with its other business
operations”.

How many applicants do you normally
receive and how many get funded?
How many points are usually needed
to be funded?

The Stan Mayfield Working Waterfronts grant
program typically receives less than five
applications per cycle. The point total
threshold for funding, along with how many
projects get funded, varies depending on the
number of applications we receive and the FCT
award request figure for each.

Would a project to rebuild finger docks for
commercial watersports companies be
eligible?

No, commercial watersports are not considered
a working waterfront and are not an enterprise
concerning commercial harvest of wild or
aquaculture marine organisms. Such projects
would not be eligible.

What if the launch is used by both commercial
vessels as well as public vessels?

Projects acquired using Stan Mayfield Working
Waterfront funding must derive their primary
source of income from services supporting
the commercial harvesting of marine organisms.
Projects submitted that propose use of the site
by public vessels will be deemed ineligible.

If you have additional questions, email them to:
FloridaCommunitiesTrust@FloridaDEP.gov