







Added Date 09/08/2015

2015-5-18 TIN..3 holes were welded on larger tank



Added Date 09/08/2015

2015-5-18 TIN..3 holes were welded on larger tank



Added Date 09/08/2015

2015-5-18 TIN..larger tank elevated



Added Date 09/08/2015

2015-5-18 TIN..sm tank closer





NO SMOKING
STOP ENGINE

FIREGUARD

NO SMOKING
STOP ENGINE



WARNING

GASOLINE HOSE

GASOLINE HOSE



Emergency
Shut-Off for
Fuel Island
Panel LVB





KUBOTA



WARNING: This cap is for use only on the engine. Do not use it on any other part of the machine. If you use it on any other part, it may cause damage to the machine or injury to the operator. Always use the correct cap for the correct application.



WARNING: This cap is for use only on the engine. Do not use it on any other part of the machine. If you use it on any other part, it may cause damage to the machine or injury to the operator. Always use the correct cap for the correct application.



WARNING: This cap is for use only on the engine. Do not use it on any other part of the machine. If you use it on any other part, it may cause damage to the machine or injury to the operator. Always use the correct cap for the correct application.





FLAMMABLE



⚠ DANGER
Discharge fuel.
No open flames.



UNLEADED

⚠ DANGER
Discharge fuel.
No open flames.





PRES. 3 IN. W.C.
W.C. 8 IN. W.C.

PRES. 2.5 to 6.0 IN. W.C.
W.C. 6.0 to 10.0 IN. W.C.

G-4050-2

SAFETY
This information is provided for your safety and the safety of others. Read and understand the information provided on this sign before using the equipment. Failure to read and understand the information provided on this sign could result in serious injury or death.
Please do not smoke, drink alcohol, or use drugs while operating the equipment. Do not operate the equipment if you are impaired.
Please do not touch or interfere with any safety features of the equipment. Do not tamper with any safety features of the equipment.
Please do not operate the equipment until you have received proper training from a qualified operator. Do not operate the equipment if you are not a qualified operator.
Please do not operate the equipment in unsafe conditions. Do not operate the equipment in hazardous areas.




**NO SMOKING
COMBUSTIBLE**



DIESEL

EMPRO PRODUCTS

79KA3-DIESEL-2/W









Modern Welding Company
Subsidiaries Nationwide

FIREGUARD™ UL-2085, PROTECTED, SECONDARY CONTAINMENT STORAGE TANK FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS

MFG DATE: MONTH _____ YEAR _____

MODEL NUMBER: MWCFG- _____ DIAMETER _____ CAPACITY _____ GALLONS

COMPARTMENT TANK _____ GALLONS

TANK WEIGHT _____ POUNDS

THIS TANK REQUIRES EMERGENCY RELIEF VENTING CAPACITY NOT LESS THAN _____ CUBIC FT PER HR.

THE ANNUAL SPACE REQUIRES EMERGENCY RELIEF VENTING NOT LESS THAN _____ CUBIC FT PER HR.

THIS TANK SHALL BE INVESTIGATED TO DETERMINE ACCEPTABILITY OF USE AFTER FIRE EXPOSURE DAMAGE, OTHER PHYSICAL DAMAGE, OR MISUSE.

IF A LEAK IS DETECTED (WATER OR FUEL) THIS TANK IS TO BE REMOVED FROM SERVICE. THE LOCAL CODE AUTHORITY AND TANK MANUFACTURER SHOULD BE CONTACTED TO DETERMINE IF THE INSULATION CAN BE REPLACED OR REPAIRED.

PRESSURIZE PRIMARY TANK FIRST WHEN PRESSURE TESTING ANNUAL SPACE.

FOLLOW INSTALLATION INSTRUCTIONS.

THIS TANK IS INTENDED FOR STATIONARY INSTALLATION.

THIS TANK REQUIRES OVERFILL PREVENTION AND AN ANTI-SIPHON DEVICE.

THIS TANK IS INTENDED FOR INSTALLATION IN ACCORDANCE WITH EITHER NFPA-30, NFPA-30A, NFPA-31 OR THE UNIFORM FIRE CODE, NFPA 1.

TANK IS AN INSULATED ABOVEGROUND TANK, PROTECTED TYPE.

TANK IS VEHICLE IMPACT RESISTANT.

PROJECTILE RESISTANT, IF MARKED.

THIS FIREGUARD™ TANK ALSO MEETS AND EXCEEDS THE TESTING CRITERIA OF UL 2085 FOR FIRE RESISTANT TANKS FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS.

IF MARKED TANK IS REC TANGULAR CONSTRUCTION, MAXIMUM ALLOWABLE TEST PRESSURE IS 1 1/2 PSIG OR UNITS, VISIBLE DEFLECTION OF THE TANK WALL IS WITHIN 5%.


MWCO PART NO. MW0-21

Fabricated at the following subsidiary:

- Modern Welding Company of Owensboro, Inc. Owensboro, Kentucky
- Modern Welding Company of Ohio, Inc. Newark, Ohio
- Modern Welding Company of Florida, Inc. Orlando, Florida
- Modern Welding Company of Texas, Inc. Houston, Texas
- Modern Welding Company of Iowa, Inc. Burlington, Iowa
- Modern Welding Company of California, Inc. Fresno, California
- Modern Welding Company of Georgia, Inc. Augusta, Georgia
- Modern Welding Company of Texas, Inc. Rhome, Texas
- Modern Custom Fabrication, Inc. Fresno, California



modern welding company
Subsidiaries Nationwide
www.moderninc.com

MODERN WELDING CO., INC. 
Subsidiaries Nationwide



PROTECTED SECONDARY CONTAINMENT
ABOVEGROUND TANK FOR FLAMMABLE LIQUIDS

NO. _____

UL 2085 Construction

Steel Tank Institute

FIREGUARD Serial No. 28890

Tank Maintenance

This tank shall be inspected monthly for the presence of water. Remove any water found in the tank. Water and sediment in the fuel can cause:

- Plugging of filters, and
- Increased bacterial growth which can cause filters to plug and corrosion of tanks and lines.

For procedures on how to check for the presence of and removal of water, and for a list of more resources and additional information, refer to Steel Tank Institute's *Keeping Water Out of Your Storage System*.



ALARM

Press "TEST/CANCEL" to test alarm
and indicate when alarm
has been silenced. Alarm will
sound until the alarm is reset.



MORRISON BROS. CO.

Louisiana, LA • 800-627-4001

