

Legend

- ▲ Soil Sample
- Surface Water Sample
- ◆ Sediment Sample
- ⊙ Temporary Monitoring Well
- Historical AFFF Usage Area
- Approximate Site Boundary

Provisional Cleanup Target Level	Perfluorooctanesulfonic acid (PFOS)	Perfluorooctanoic acid (PFOA)	Total PFOS and PFOA	Units
Residential SCTL	1,300	1,300	Not applicable	µg/Kg
Industrial SCTL	25,000	25,000	Not applicable	µg/Kg
Leachability SCTL	7	2	Not applicable	µg/Kg
Groundwater	70	70	70	ng/L


Field ID	Component	Result	Units
TMW-1 (10-25')	PFOS	25	ng/L
TMW-1 (10-25')	PFOA	8.3	ng/L
TMW-1 (10-25')	PFOS + PFOA	33.3	ng/L

Sample Location Map with PFOA and PFOS Analytical Results - 11/27/2019
Lake Tech Fire Academy - (ERIC_7403)
1565 Lane Park Cutoff
Tavares, Lake County, Florida

Notes:

- AFFF indicates aqueous film forming foam.
- µg/Kg indicates micrograms per kilogram.
- ng/L indicates nanograms per liter.
- Sample depth is presented in feet below land surface.
- Approximate site boundary obtained from Florida Department of Revenue GIS and Cadastral Mapping website on 15 March 2019 (Lake County 2018 data).
- Source of 2017 aerial: Florida Department of Transportation Aerial Photo Look Up System website.

I indicates result is between the laboratory method detection limit and the laboratory practical quantitation limit.
 U indicates material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.



Date: Nov 27, 2019