

**STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
PROPOSED REVISION TO STATE IMPLEMENTATION PLAN**



**SUBMITTAL NUMBER 2016-01
REVISIONS TO EXCESS EMISSIONS RULE**

November 22, 2016

TABLE OF CONTENTS

Letter of Submittal	1
Executive Summary	3
Introduction.....	3
Rule Adoption Process.....	4
Details of Rule Amendments – Chapter 62-210, F.A.C. (“Stationary Sources – General Requirements”)	5
Noninterference Demonstration.....	5
SIP Development Process	6
Response to 40 C.F.R. Part 51, Appendix V, Criteria	7
2.1. Administrative Materials	7
2.2. Technical Support	8
2.3. Exceptions.....	10
Materials Proposed to be Incorporated into SIP	11
Chapter 62-210, F.A.C., 2016 Revision.....	12
Legal Authority	14
State Administrative Materials	16
Documentation of State Rule Development Process for Rule 62-210.700, F.A.C.....	16
Public Participation.....	33
Response to 40 C.F.R. 51.102 Requirements	33
Notice of Opportunity to Submit Comments or Request Public Hearing.....	35
Notification to Districts/Locals of SIP Hearing, if Requested.....	36
EPA Comments on Pre Hearing SIP Submittal	40
DEP Response to EPA Comments.....	43
Public Comments on SIP Notice.....	45
DEP Response to Public Comments	46

LETTER OF SUBMITTAL



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Carlos Lopez-Cantera
Lt. Governor

Jonathan P. Steverson
Secretary

Via U.S. Mail and Electronic Mail

November 22, 2016

Mrs. Heather McTeer Toney
Regional Administrator
U.S. Environmental Protection Agency (EPA) – Region 4
61 Forsyth Street SW – Mail Code: 9T25
Atlanta, GA 30303-8909

Re: Proposed Revision to Florida's State Implementation Plan – Response to EPA's Startup, Shutdown, and Malfunction SIP Call; Revisions to Florida's Excess Emissions SIP Rule

Dear Mrs. Toney:

In accordance with 40 C.F.R. 51.103, the Florida Department of Environmental Protection (Department) requests approval of a proposed revision to Florida's State Implementation Plan (SIP) in response to EPA's June 12, 2015 Startup, Shutdown, and Malfunction (SSM) SIP Call (80 Fed. Reg. 33,840).

The complete SIP submittal package (hard copy and electronic copy) has been sent directly to the Air Planning Branch for EPA Region 4. The electronic copy is in a searchable format and is an exact duplicate of the hard copy. The notice of opportunity to submit comments, request a public hearing, or participate in a public hearing, if requested, regarding the proposed SIP revision was published on October 13, 2016, in the Florida Administrative Register. Two comments were received, one from EPA and the other from the Florida Electric Power Coordinating Group, Inc. No hearing was requested; therefore, the hearing scheduled for November 16, 2016, was cancelled. I hereby certify that the public participation requirements of all applicable state and federal regulations, including those of 40 C.F.R. 51.102, have been satisfied with respect to this proposed SIP revision.

This SIP submittal consists of revisions to Florida's "Excess Emissions" rule. Specifically, Florida is proposing to remove subsections 62-210.700(1), (2), and (4), F.A.C., as applied to both category-specific SIP limits found in Chapter 62-296, F.A.C., and source-specific permit limits that have been expressly incorporated into Florida's SIP. Effective May 22, 2018, subsections 62-210.700(1), (2), and (4), F.A.C., will no longer be applicable to SIP-based emission limits. In addition, subsections 62-210.700(1), (2), and (4), F.A.C., will no longer be applicable to limits established through new PSD and NSR permits issued by the Department after the effective date of the rule revision (October 23, 2016).


www.dep.state.fl.us

Mrs. Heather McTeer Toney
November 22, 2016
Page 2 of 2

Please note that although the Department is complying with EPA's SSM SIP Call, the Department does not agree with EPA's conclusion that Florida's existing SIP is "substantially inadequate." Florida's air program and SIP have worked effectively for decades to reduce emissions and improve air quality for the state's citizens and visitors, and the provisions of Rule 62-210.700, F.A.C., have been an element of Florida's SIP during this time. As you are aware, state petitioners have challenged the legality of EPA's SSM SIP Call, and the Department will evaluate whether any further revisions to Florida's Excess Emissions rule are necessary after litigation concludes.

If you have any questions about this proposed SIP revision, please contact me at (850) 717-9000 or by email at Jeff.Koerner@dep.state.fl.us.

Sincerely,



Jeff Koerner, Interim Director
Division of Air Resource Management

JK/pm

cc (with SIP package): R. Scott Davis, Chief, Air Planning Branch, EPA Region 4

SUBMITTAL NUMBER 2016-01

PROPOSED REVISIONS TO EXCESS EMISSIONS RULE

EXECUTIVE SUMMARY

Introduction

The Department of Environmental Protection (DEP) is proposing an update to Florida's State Implementation Plan (SIP) under the federal Clean Air Act (CAA) consisting of an amendment to one Florida Administrative Code (F.A.C.) rule section in one F.A.C. rule chapter.¹ The rule amendment revises Florida's existing SIP-approved rule, Rule 62-210.700, F.A.C. ("Excess Emissions"), as required by EPA's June 12, 2015 "Startup, Shutdown, and Malfunction (SSM)" SIP Call. *See* 80 Fed. Reg. 33,840.

On June 12, 2015, EPA published a final rule concerning its interpretation of CAA requirements for emission limits incorporated into states' SIPs.² 80 Fed. Reg. 33,840. This final rule was promulgated pursuant to CAA Section 110(k)(5), which allows EPA to issue a "SIP Call" to states if EPA determines that the states' existing SIPs are "substantially inadequate." EPA's SIP Call found that 36 states, including Florida, had rules in their SIPs that were inconsistent with EPA's interpretation of the CAA, as these rules rendered certain SIP emission limits not continuous (i.e., the SIP did not contain "practically and legally enforceable" emission limits applicable during periods of startup, shutdown, and malfunction). EPA provided a deadline of November 22, 2016 for states to submit SIP revisions that remove or amend the regulations that EPA identified as problematic.

This SIP submittal consists of revisions to Florida's "Excess Emissions" rule in response to EPA's SSM SIP Call.³ Florida's existing, federally-approved regulations require that facilities must meet specified conditions during startup and shutdown rather than steady-state emission limits. *See* Rule 62-210.700(1), (2), and (4), F.A.C. Florida is proposing to remove subsections 62-210.700(1), (2), and (4), F.A.C., as applied to both category-specific SIP-approved limits found in Chapter 62-296, F.A.C., and source-specific permit limits that have been expressly incorporated into Florida's SIP.

¹In the Florida Administrative Code, "62-210," for example, is a rule chapter, and "62-210.200" is a rule section, commonly written as "Chapter 62-210, F.A.C.," and "Rule 62-210.200, F.A.C.," respectively. The effective dates of rules and rule amendments in the F.A.C. are tied to rule sections; therefore, EPA incorporates F.A.C. rules into Florida's SIP on a section-by-section basis.

²The general components of Florida's SIP are identified at 40 C.F.R. Part 52, Subpart K. Florida's SIP is subject to periodic revisions to reflect both substantive and procedural changes in the state's air program. In addition to incorporating rules associated with the implementation of the Clean Air Act in Florida, Florida's SIP incorporates a range of generally applicable emission limits, codified in Chapter 62-296, F.A.C., together with permit-based unit-specific emissions limits that address particular units in areas of the state that are subject to Nonattainment Area Plans and units that are identified in the state's approved Regional Haze Plan.

³EPA's Final Rule has been challenged in the D.C. Circuit Court of Appeals by multiple states, including the State of Florida, in *Walter Coke, Inc. v. U.S. EPA*, USCA Case No. 15-1166. DEP will evaluate whether any further revisions to Florida's Excess Emissions rule are necessary after litigation concludes.

Effective May 22, 2018, subsections 62-210.700(1), (2), and (4), F.A.C., will no longer be applicable to SIP-based emission limits. In addition, subsections 62-210.700(1), (2), and (4), F.A.C., will no longer be applicable to limits established through new Prevention of Significant Deterioration (PSD) and New Source Review (NSR) permits issued by the Department after the effective date of the rule revision (October 23, 2016).

DEP requests that EPA approve and incorporate into Florida's SIP the following revised rule section:

Chapter 62-210, F.A.C., "Stationary Sources – General Requirements"

- Rule 62-210.700, F.A.C., "Excess Emissions"
(as amended effective 10/23/16)

Details of the rule amendment are provided below, and in the "Materials Proposed to be Incorporated into SIP" section of this submittal.

Rule Adoption Process

The rule amendment addressed in this proposed SIP revision was adopted in accordance with Florida administrative procedures. Documentation of the state rule development process for the rule amendment is included in the "State Administrative Materials" section of this submittal.

As previously stated, the proposed SIP revision involves one F.A.C. rule amendment in one F.A.C. rule chapter, 62-210, F.A.C. (DEP project #OGC 15-0395).

On September 1, 2016, DEP published a Notice of Proposed Rule in the Florida Administrative Register (FAR) proposing to amend Rule 62-210.700, F.A.C. ("Excess Emissions"), and to add a new rule section, Rule 62-210.710, F.A.C. ("Emissions Limits During Transient Modes of Operation").⁴ Pursuant to the Florida Administrative Procedures Act, DEP provided a 21-day comment period on the proposed rule, and scheduled a public hearing on the rulemaking, if requested, for September 26, 2016. DEP received only one formal comment on the proposed rule. This comment was supportive of the state's regulatory approach, and there were no requests for a rulemaking adoption hearing.

On October 3, 2016, DEP transmitted to the Florida Department of State a rule certification package finalizing the amendments to Chapter 62-210, F.A.C. The effective date of the rule amendments is October 23, 2016.

⁴ The new rule section, Rule 62-210.710, F.A.C., details a process whereby facilities that are subject to SIP-based emission limits that may not be appropriate or achievable during transient modes of operation, such as during periods of startup or shutdown, can receive secondary emission limits that will be applicable during those periods. Rule 62-210.710, F.A.C., is not, however, proposed to be incorporated into Florida's SIP at this time.

Details of Rule Amendments – Chapter 62-210, F.A.C. (“Stationary Sources – General Requirements”)

The amendments to Rule 62-210.700, F.A.C., proposed for inclusion in Florida’s SIP consist of the following:

1. Subsection 62-210.700(4), F.A.C. (which was subject to EPA’s SSM SIP Call), is deleted, and equivalent language is added to current subsections 62-210.700(1) and (2);
2. Subsection 62-210.700(3), F.A.C. (which was subject to EPA’s SSM SIP Call), is amended to remove the term “excess” and to remove the provision that allows fossil fuel steam generators to exceed 60% opacity for up to 24 minutes during soot blowing or boiler cleaning;
3. A provision is added at subsection 62-210.700(6), F.A.C., which states that new subsections 62-210.700(1) and (2) (which are subject to EPA’s SSM SIP Call and have been combined with previous subsection 62-210.700(4), F.A.C.), shall not apply after May 22, 2018, to either category-specific or unit-specific limits that have been incorporated into Florida’s SIP.
4. A provision is added at subsection 62-210.700(7), F.A.C., that states that after the effective date of the rule change (October 23, 2016), subsections 62-210.700(1) and (2), F.A.C., shall not apply to new permit-specific emission limits established pursuant to Florida’s Prevention of Significant Deterioration (PSD) and New Source Review (NSR) regulations (Rules 62-212.400 and 62-212.500, F.A.C.).

Noninterference Demonstration

Approval of this SIP revision will comply with CAA Section 110(l). This proposed SIP revision is submitted in response to EPA’s SSM SIP Call. The amendment of Rule 62-210.700, F.A.C., renders subsections 62-210.700(1), (2), and (4), F.A.C., inapplicable to both category-specific SIP limits found in Chapter 62-296, F.A.C., and source-specific permit limits that have been expressly incorporated into Florida’s SIP. This SIP revision will not affect the attainment or maintenance of any NAAQS in the State of Florida.

SIP DEVELOPMENT PROCESS

Section 403.061(35), Florida Statutes, authorizes the Department to “exercise the duties, powers, and responsibilities required of the state under the federal Clean Air Act.” These duties and responsibilities include the development and periodic updating of Florida’s SIP. Pursuant to this statutory authority, the Department has developed this proposed SIP revision.

The rule amendment addressed in this proposed SIP revision were adopted in accordance with Florida administrative procedures, which include publication in the Florida Administrative Register of proposed rule language and notice of the opportunity to submit comments, request a rule adoption hearing, or participate in any scheduled rule adoption hearing. Documentation of the state rule development process is included in the “State Administrative Materials” section of this submittal.

In accordance with 40 C.F.R. 51.102, the Department published a notice in the Florida Administrative Register on October 13, 2016, announcing an opportunity for the public to submit comments and request a public hearing to be held on November 16, 2016, if requested, regarding the proposed revision to Florida’s SIP. No public hearing was requested and, therefore, the hearing was cancelled. Two comments were received, one from EPA and the other from the Florida Electric Power Coordinating Group, Inc.

In accordance with the 30-day notice requirement of 40 C.F.R. 51.102, a pre-hearing submittal providing details of the proposed SIP revision was transmitted to the U.S. Environmental Protection Agency (EPA) on October 13, 2016, and the Department also transmitted a copy to Florida’s local air pollution control programs. A copy was not sent to neighboring states as this SIP revision does not significantly impact any other state in Florida’s interstate region.

RESPONSE TO 40 C.F.R. PART 51, APPENDIX V, CRITERIA

Pursuant to 40 C.F.R. Part 51, Appendix V, the following materials shall be included in State Implementation Plan (SIP) submissions for review and approval by the U.S. Environmental Protection Agency (EPA).

2.1. Administrative Materials

(a) A formal letter of submittal from the Governor or his designee, requesting EPA approval of the plan or revision thereof (hereafter “the plan”).

- A copy of the “Letter of Submittal,” signed by the Director of the Division of Air Resource Management, Florida DEP, on behalf of the Governor of the State of Florida, is submitted with this document.

(b) Evidence that the State has adopted the plan in the State code or body of regulations; or issued the permit, order, consent agreement (hereafter “document”) in final form. That evidence shall include the date of adoption or final issuance as well as the effective date of the plan, if different from the adoption/issuance date.

- This proposed revision to Florida’s SIP consists of the following F.A.C. rule section, as adopted or amended, effective upon the date shown:

Rule 62-210.700, F.A.C., “Excess Emissions” (as amended effective 10/23/16)

Copies of this rule section showing the amendments may be found in the “Materials Proposed to be Incorporated into the SIP” section of this submittal.

(c) Evidence that the State has the necessary legal authority under State law to adopt and implement the plan.

- The Department has the necessary legal authority to adopt and implement this proposed revision to Florida’s SIP. References to the pertinent Florida Statutes and Florida Administrative Code (F.A.C.) rules may be found in the “Legal Authority” section of this submittal.

(d) A copy of the actual regulation, or document submitted for approval and incorporation by reference into the plan, including indication of the changes made (*such as, redline/strikethrough*) to the existing approved plan, where applicable. The submittal shall include a copy of the official State regulation/document signed, stamped and dated by the appropriate State official indicating that it is fully enforceable by the State. The effective date of any regulation/document contained in the submission shall, whenever possible, be indicated in the regulation/document itself. *If the State submits an electronic copy, it must be an exact duplicate of the hard copy with changes indicated, signed documents need to be in portable document format, rules need to be in text format and files need to be submitted in manageable amounts (e.g., a file for each section or chapter, depending on size, and separate files for each distinct document) unless otherwise agreed to by the State and Regional Office.*

- Certified copies of all rules and rule amendments, as filed with the Florida Secretary of State for adoption into the F.A.C., may be found in the “State Administrative Materials” section of this submittal.

(e) Evidence that the State followed all of the procedural requirements of the State’s laws and constitution in conducting and completing the adoption/issuance of the plan.

- The Department has complied with all state procedural requirements in adoption of the rules proposed to be incorporated into the SIP. Evidence of compliance with these requirements is provided by certification of the materials filed with the Florida Secretary of State for adoption of the rules and rule amendments into the F.A.C. These materials may be found in the “State Administrative Materials” section of this submittal.
- In addition, state law (s. 120.525, F.S.) requires the Department to provide notice of all public meetings, hearings, and workshops in the Florida Administrative Register (FAR) not less than seven days before the event. Through publication in the FAR of the notice of opportunity to participate in a SIP public hearing, if requested, at least 30 days before the event, the Department has complied with all state procedural requirements relevant to the development of this proposed SIP revision. A copy of this notice may be found in the “Public Participation” section of this submittal.

(f) Evidence that public notice was given of the proposed change consistent with procedures approved by EPA, including the date of publication of such notice.

- The Department has complied with all public hearing requirements of 40 C.F.R. 51.102. Copies of all relevant notices and notification emails may be found in the “Public Participation” section of this submittal.

(g) Certification that public hearing(s) were held in accordance with the information provided in the public notice and the State’s laws and constitution, if applicable and consistent with the public hearing requirements in 40 C.F.R. 51.102.

- Certification of compliance with all state and federal public notice and hearing requirements is provided in the “Letter of Submittal.”

(h) Compilation of public comments and the State’ response thereto.

- Written comments received during the public notice period on this proposed SIP revision, and the Department’s response thereto, may be found in the “Public Participation” section of this submittal.

2.2. Technical Support

(a) Identification of all regulated pollutants affected by the plan.

- This SIP revision addresses a rule of general applicability that applies to all pollutants regulated pursuant to Florida’s SIP.

(b) Identification of the locations of affected sources including the EPA attainment/nonattainment designation of the locations and the status of the attainment plan for the affected areas(s).

- This SIP revision applies statewide.

(c) Quantification of the changes in plan allowable emissions from the affected sources; estimates of changes in current actual emissions from affected sources or, where appropriate, quantification of changes in actual emissions from affected sources through calculations of the differences between certain baseline levels and allowable emissions anticipated as a result of the revision.

- Not applicable.

(d) The State’s demonstration that the national ambient air quality standards, prevention of significant deterioration increments, reasonable further progress demonstration, and visibility, as applicable, are protected if the plan is approved and implemented. For all requests to redesignate an area to attainment for a national primary ambient air quality standard, under Section 107 of the Act, a revision must be submitted to provide for the maintenance of the national primary ambient air quality standards for at least 10 years as required by Section 175A of the Act.

- A “Noninterference Demonstration” may be found in the “Executive Summary” section of this submittal.

(e) Modeling information required to support the proposed revision, including input data, output data, models used, justification of model selections, ambient monitoring data used, meteorological data used, justification for use of offsite data (where used), modes of models used, assumptions, and other information relevant to the determination of adequacy of the modeling analysis.

- Not applicable.

(f) Evidence, where necessary, that emission limitations are based on continuous emission reduction technology.

- Not applicable. No emission reduction technologies or allowable emission rates are established by the rules included in this proposed SIP revision.

(g) Evidence that the plan contains emission limitations, work practice standards and recordkeeping/reporting requirements, where necessary, to ensure emission levels.

- Not applicable.

(h) Compliance/enforcement strategies, including how compliance will be determined in practice.

- Not applicable.

(i) Special economic and technological justifications required by any applicable EPA policies, or an explanation of why such justifications are not necessary.

- Not applicable.

2.3. Exceptions

- Not applicable.

MATERIALS PROPOSED TO BE INCORPORATED INTO SIP

In this section of the submittal, the rule amendments proposed for incorporation into the SIP are arranged by F.A.C. rule chapter and, where possible, are shown in “coded” format where ~~strike-through~~ denotes deleted text, and underline denotes new text.

Florida’s “Excess Emissions” rule found at Rule 62-210.700, F.A.C., was previously approved and incorporated into Florida’s SIP. *See* table of EPA-approved state regulations at 40 C.F.R. Part 52, Subpart K.

Effective October 23, 2016, DEP amended Rule 62-210.700, F.A.C., as detailed below. This SIP revision proposes to replace the currently approved and incorporated version of Rule 62-210.700, F.A.C., with this amended version.

Certified copies of all individual sets of rule amendments, as filed with the Florida Secretary of State for adoption into the F.A.C., may be found in the “State Administrative Materials” section of this submittal.

Chapter 62-210, F.A.C., 2016 Revision

62-210.700 Excess Emissions.

(1) Excess emissions resulting from startup, shutdown or malfunction of any emissions unit shall be permitted ~~provided~~ providing (1) best-~~operational~~ practices to minimize emissions are adhered to and (2) the duration of excess emissions shall be minimized but in no case exceed two hours in any 24-hour period unless specifically authorized by the Department for longer duration. Excess emissions that are caused entirely or in part by poor maintenance, poor operation, or any other equipment or process failure that may reasonably be prevented during startup, shutdown or malfunction shall be prohibited.

(2) Excess emissions from existing fossil fuel steam generators resulting from startup or shutdown shall be permitted provided that best-~~operational~~ practices to minimize emissions are adhered to and the duration of excess emissions shall be minimized. Excess emissions that are caused entirely or in part by poor maintenance, poor operation, or any other equipment or process failure that may reasonably be prevented during startup, shutdown or malfunction shall be prohibited.

(3) Visible-Excess emissions from existing fossil fuel steam generators resulting from boiler cleaning (soot blowing) and load change may be up to 60 percent opacity, based upon a six-minute average, for a period of up to 3 hours in any 24-hour period ~~shall be permitted provided the duration of such excess emissions shall not exceed 3 hours in any 24-hour period and visible emissions shall not exceed Number 3 of the Ringelmann Chart (60 percent opacity), and providing~~ (1) best-~~operational~~ practices to minimize visible emissions are adhered to and (2) the duration of elevated opacity-emissions shall be ~~is~~ minimized. Particulate matter emissions from existing fossil fuel steam generators during periods of boiler cleaning (soot blowing) and load change may average up to 0.3 pounds per million BTU heat input for a period of up to 3 hours in any 24-hour period provided (1) best practices to minimize particulate matter emissions are adhered to and (2) the duration of elevated particulate matter emissions is minimized. A load change, other than startup or shutdown, occurs when ~~the operational capacity of a fossil fuel steam generating unit is operating in the range of 10 percent to 100 percent of rated capacity, range, other than startup or shutdown, which the change in operation exceeds~~ 10 percent of the unit's rated capacity, ~~and which the change in operation occurs at a rate of 0.5 percent or more per minute or more. Visible emissions above 60 percent opacity shall be allowed for not more than 4, six (6) minute periods, during the 3-hour period of excess emissions allowed by this subparagraph, for boiler cleaning and load changes, at units which have installed and are operating, or have committed to install or operate, continuous opacity monitors. Particulate matter emissions shall not exceed an average of 0.3 lbs. per million BTU~~

heat input during the 3-hour period of excess emissions allowed by this subparagraph.

~~(4) Excess emissions which are caused entirely or in part by poor maintenance, poor operation, or any other equipment or process failure which may reasonably be prevented during startup, shutdown, or malfunction shall be prohibited.~~

(5) through (6) renumbered (4) through (5) No change.

(6) After May 22, 2018, Subsections 62-210.700(1) and (2), F.A.C., shall not apply to:

(a) Emission limits in Chapter 62-296, F.A.C., that have been or that become incorporated into the State Implementation Plan for the State of Florida, identified in 40 C.F.R. 52.520; and

(b) Unit-specific emission limits that have been or that become incorporated into the State Implementation Plan for the State of Florida, identified in 40 C.F.R. 52.520.

(7) Subsections 62-210.700(1) and (2), F.A.C., shall not apply to unit-specific emission limits established after October 23, 2016, pursuant to Rules 62-212.400 and 62-212.500, F.A.C.

Specific Authority 403.061 FS. Law Implemented 403.021, 403.031, 403.061, 403.087 FS. History—Formerly 17-2.250, 17-210.700, Amended 11-23-94,_____.

LEGAL AUTHORITY

Chapter 403 of the Florida Statutes (F.S.), entitled “Environmental Control,” provides the legal framework for most of the activities of the air resource management program within the Florida Department of Environmental Protection (Department). Except as provided at Sections 403.8055 and 403.201, F.S., for fast-track rulemaking and the granting of variances under Chapter 403, F.S., respectively, Chapter 120, F.S., Florida’s “Administrative Procedure Act,” sets forth the procedures the Department must follow for rulemaking, variances, and public meetings. The most recent version of the Florida Statutes can be found online at <http://www.leg.state.fl.us/Statutes>.

The principal sections of Chapter 403, F.S., that grant the Department authority to operate its air program are listed below. Authority to develop and update Florida’s State Implementation Plan (SIP) and 111(d) Designated Facilities Plan is expressly provided by subsection 403.061(35), F.S., which provides that the Department shall have the power and the duty to control and prohibit pollution of air and water in accordance with the law and rules adopted and promulgated by it and, for this purpose, to “exercise the duties, powers, and responsibilities required of the state under the federal Clean Air Act, 42 U.S.C. ss. 7401 et seq.”

- [403.031](#) Definitions, including the definition of “regulated air pollutant” (403.031(19)).
- [403.061](#) Authority to: promulgate plans to provide for air quality control and pollution abatement (403.061(1)); adopt rules for the control of air pollution in the state (403.061(7)); take enforcement action against violators of air pollution laws, rules and permits (403.061(8)); establish and administer an air pollution control program (403.061(9)); set ambient air quality standards (403.061(11)); monitor air quality (403.061(12)); require reports from air pollutant emission sources (403.061(13)); require permits for construction, operation, and modification of air pollutant emission sources (403.061(14)); and exercise the duties, powers, and responsibilities required of the state under the federal Clean Air Act (403.061(35)).
- [403.087](#) Authority to issue, deny, modify, and revoke permits.
- [403.0872](#) Authority to establish an air operating permit program as required by Title V of the Clean Air Amendments of 1990.
- [403.0877](#) Authority to require engineering certification of permit applications.
- [403.121](#) Authority to seek judicial and administrative remedies for violations.
- [403.131](#) Authority to seek injunctive relief for violations.
- [403.141](#) Authority to find civil liability for violations.
- [403.161](#) Authority to assess civil and criminal penalties for violations.
- [403.182](#) Authority for local pollution control programs.
- [403.201](#) Authority to grant variances.

- [403.8052](#) Authority to establish a Small Business Assistance Program for small-business sources of air pollutant emissions.
- [403.8055](#) Authority to adopt U.S. Environmental Protection Agency (EPA) standards by reference through a fast-track process.
- [403.814](#) Authority to allow use of general permits (permits-by-rule) for minor sources.

Other statutory authorities, outside of Chapter 403, F.S., for Florida’s air program are as follows:

- [112.3143](#) Requirement that public officials disclose potential conflicts of interest.
- [112.3144](#) Requirement for disclosure of financial interests by public officials.
- [120.569](#) Authority of agency head to issue an emergency order in response to an immediate threat to public health, safety, or welfare.
- [316.2935](#) Authority to prohibit the sale and operation of motor vehicles whose emission control systems have been tampered with, and to prohibit the operation of motor vehicles that emit excessive smoke.
- [320.03](#) Authority to establish Air Pollution Control Trust Fund and use \$1 fee on every motor vehicle license registration sold in the state for air pollution control purposes, including support of approved local air pollution control programs.
- [376.60](#) Authority to establish a fee for asbestos removal projects.

Current and historical versions of Florida Administrative Code (F.A.C.) rule sections and chapters back to January 1, 2006, may be accessed from the Florida Department of State (DOS) website <https://www.flrules.org>. The DOS website also provides access to materials adopted by reference since January 1, 2011. Department rule chapters containing State Implementation Plan (SIP) or 111(d) State Plan provisions are as follows:

- [62-204](#) Air Pollution Control – General Provisions
- [62-210](#) Stationary Sources – General Requirements
- [62-212](#) Stationary Sources – Preconstruction Review
- [62-243](#) Tampering with Motor Vehicle Air Pollution Control Equipment
- [62-252](#) Gasoline Vapor Control
- [62-256](#) Open Burning
- [62-296](#) Stationary Sources – Emission Standards
- [62-297](#) Stationary Sources – Emissions Monitoring

Other air-related Department rule chapters—not part of the SIP or 111(d) State Plan—include:

- [62-213](#) Operation Permits for Major Sources of Air Pollution (Title V)
- [62-214](#) Requirements for Sources Subject to the Federal Acid Rain Program
- [62-257](#) Asbestos Program

STATE ADMINISTRATIVE MATERIALS

Documentation of State Rule Development Process for Rule 62-210.700, F.A.C.



**Florida Department of
Environmental Protection**

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Carlos Lopez-Cantera
Lt. Governor

Jonathan P. Steverson
Secretary

October 3, 2016

Mr. Ernest Reddick
Program Administrator
Administrative Code and Register
500 South Bronough Street, Room 101
Tallahassee, Florida 32399-0250

Re: Certification Package for Rules 62-210.700 and 62-210.710, F.A.C.
OGC No: 15-0395

Dear Mr. Reddick:

Attached is the certification package for Rules 62-210.700 and 62-210.710, F.A.C. I am the attorney handling this matter and if you have any questions please contact me at 245-2194, Benjamin.Melnick@dep.state.fl.us, or by mail at Department of Environmental Protection, Office of General Counsel, MS 35, 3900 Commonwealth Blvd., Tallahassee, Florida 32399-3000. Or you may also contact Preston McLane at 717-9089, Preston.McLane@dep.state.fl.us, or by mail at Department of Environmental Protection, Division of Air Resource Management, 2600 Blair Stone Road, MS 5500, Tallahassee, Florida 32399.

Sincerely,

A handwritten signature in blue ink that reads "Benjamin M. Melnick".

Benjamin M. Melnick
Assistant General Counsel

FILED
2016 OCT -03 PM 14:23
TALLAHASSEE, FLORIDA

CERTIFICATION OF DEPARTMENT OF ENVIRONMENTAL PROTECTION
ADMINISTRATIVE RULES FILED WITH THE DEPARTMENT OF STATE

RECEIVED
DEPARTMENT OF ENVIRONMENTAL PROTECTION
NOV 10 2 31 PM '16

I hereby certify:

- (1) That all statutory rulemaking requirements of Chapter 120, F.S., and all rulemaking requirements of the Department of State have been complied with; and
- (2) That there is no administrative determination under Section 120.56(2), F.S., pending on any rule covered by this certification; and
- (3) All rules covered by this certification are filed within the prescribed time limitations of Section 120.54(3)(e), F.S. They are filed not less than 28 days after the notice required by Section 120.54(3)(a), F.S., and
 - (a) Are filed not more than 90 days after the notice; or
 - (b) Are filed more than 90 days after the notice, but not more than 60 days after the administrative law judge files the final order with the clerk or until 60 days after subsequent judicial review is complete; or
 - (c) Are filed more than 90 days after the notice, but not less than 21 days nor more than 45 days from the date of publication of the notice of change; or
 - (d) Are filed more than 90 days after the notice, but not less than 14 nor more than 45 days after the adjournment of the final public hearing on the rule; or
 - (e) Are filed more than 90 days after the notice, but within 21 days after the date of receipt of all material authorized to be submitted at the hearing; or
 - (f) Are filed more than 90 days after the notice, but within 21 days after the date the transcript was received by this agency; or
 - (g) Are filed not more than 90 days after the notice, not including days the adoption of the rule was postponed following notification from the Joint Administrative Procedures Committee that an objection to the rule was being considered; or
 - (h) Are filed more than 90 days after the notice, but within 21 days after a good faith written proposal for a lower cost regulatory alternative to a proposed rule is submitted which substantially accomplishes the objectives of the law being implemented; or
 - (i) Are filed more than 90 days after the notice, but within 21 days after a regulatory alternative is offered by the Small Business Regulatory Advisory Committee.

Attached are the original and two copies of the rule covered by this certification. The rule is hereby adopted by the undersigned agency by and upon its filing with the Department of State.

Rule No.(s)

62-210.700, F.A.C.

62-210.710, F.A.C.

Under the provision of Section 120.54(3)(e)6., F.S., the rule takes effect 20 days from the date filed with the Department of State or a later date as set out below:

Effective: _____ (month) _____ (day) _____ (year)



Justin Wolfe
Deputy General Counsel

3

Number of Pages Certified

62-210.700 Excess Emissions.

(1) Excess emissions resulting from startup, shutdown or malfunction of any emissions unit shall be permitted ~~provided~~ providing (1) best ~~operational~~ practices to minimize emissions are adhered to and (2) the duration of excess emissions shall be minimized but in no case exceed two hours in any 24-hour period unless specifically authorized by the Department for longer duration. Excess emissions that are caused entirely or in part by poor maintenance, poor operation, or any other equipment or process failure that may reasonably be prevented during startup, shutdown or malfunction shall be prohibited.

(2) Excess emissions from existing fossil fuel steam generators resulting from startup or shutdown shall be permitted provided that best ~~operational~~ practices to minimize emissions are adhered to and the duration of excess emissions shall be minimized. Excess emissions that are caused entirely or in part by poor maintenance, poor operation, or any other equipment or process failure that may reasonably be prevented during startup, shutdown or malfunction shall be prohibited.

(3) ~~Visible-Excess~~ emissions from existing fossil fuel steam generators resulting from boiler cleaning (soot blowing) and load change may be up to 60 percent opacity, based upon a six-minute average, for a period of up to 3 hours in any 24-hour period ~~shall be permitted~~ provided the duration of such excess emissions shall not exceed 3 hours in any 24-hour period and visible emissions shall not exceed Number 3 of the Ringelmann Chart (60 percent opacity), and providing (1) best ~~operational~~ practices to minimize visible emissions are adhered to and (2) the duration of elevated opacity emissions shall be is minimized. Particulate matter emissions from existing fossil fuel steam generators during periods of boiler cleaning (soot blowing) and load change may average up to 0.3 pounds per million BTU heat input for a period of up to 3 hours in any 24-hour period provided (1) best practices to minimize particulate matter emissions are adhered to and (2) the duration of elevated particulate matter emissions is minimized. A load change, other than startup or shutdown, occurs when ~~the operational capacity of a fossil fuel steam generating unit is operating in the range of 10 percent to 100 percent of rated capacity, range, other than startup or shutdown, which the change in operation exceeds 10 percent of the unit's rated capacity, and which the change in operation occurs at a rate of 0.5 percent or more per minute or more. Visible emissions above 60 percent opacity shall be allowed for not more than 4, six (6) minute periods, during the 3-hour period of excess emissions allowed by this subparagraph, for boiler cleaning and load changes, at units which have installed and are operating, or have committed to install or operate, continuous opacity monitors. Particulate matter emissions shall not exceed an average of 0.3 lbs. per million BTU~~

heat input during the 3-hour period of excess emissions allowed by this subparagraph.

~~(4) Excess emissions which are caused entirely or in part by poor maintenance, poor operation, or any other equipment or process failure which may reasonably be prevented during startup, shutdown, or malfunction shall be prohibited.~~

(5) through (6) renumbered (4) through (5) No change.

(6) After May 22, 2018, Subsections 62-210.700(1) and (2), F.A.C., shall not apply to:

(a) Emission limits in Chapter 62-296, F.A.C., that have been or that become incorporated into the State Implementation Plan for the State of Florida, identified in 40 C.F.R. 52.520; and

(b) Unit-specific emission limits that have been or that become incorporated into the State Implementation Plan for the State of Florida, identified in 40 C.F.R. 52.520.

(7) Subsections 62-210.700(1) and (2), F.A.C., shall not apply to unit-specific emission limits established after October 23, 2016, pursuant to Rules 62-212.400 and 62-212.500, F.A.C.

Specific Authority 403.061 FS. Law Implemented 403.021, 403.031, 403.061, 403.087 FS. History—Formerly 17-2.250, 17-210.700, Amended 11-23-94,_____.

62-210.710 Emission Limits during Transient Modes of Operation.

(1) A facility may request that the Department establish by permit one or more unit-specific secondary emission limits to apply during a specified transient mode of operation in lieu of the unit's primary emission limit in Chapter 62-296, F.A.C., or the State Implementation Plan of the State of Florida, identified in 40 C.F.R. 52.520. Transient modes of operation include, but are not limited to, periods of startup, shutdown, or fuel switching. In order to be eligible for a secondary emission limit applicable during a specified transient mode of operation, the facility must provide to the Department data and documentation sufficient to:

(a) Describe the specific operating conditions that mark the commencement and completion of the transient mode of operation, the duration of those operating conditions, and the operational variations in the process and control equipment and operations being permitted that could affect the frequency or duration of the transient mode of operation; and

(b) Demonstrate that the frequency and duration of the transient mode of operation will be limited to the greatest extent practicable; and

(c) Demonstrate that the unit's emission control strategy for compliance with the otherwise applicable category-specific primary emission limit or unit-specific primary emission limit contained in the State Implementation Plan of the State of Florida, identified in 40 C.F.R. 52.520, is technically infeasible during the transient mode of operation; and

(d) Demonstrate that the unit is unable to comply with the otherwise applicable category-specific primary emission limit or unit-specific primary emission limit contained in the State Implementation Plan of the State of Florida, identified in 40 C.F.R. 52.520; and

(e) Define best practices for the unit for limiting the extent and duration of emissions of the regulated air pollutant during the transient mode of operation; and

(f) Determine a secondary emission limit that (1) reflects best practices and (2) minimizes the extent and duration of emissions of the regulated air pollutant during the transient mode of operation to the greatest extent practicable; and

(g) Demonstrate that the facility has implemented or will implement recordkeeping practices (e.g. continuous emissions monitoring, parametric data collection and storage, contemporaneous operating logs) sufficient to demonstrate compliance with the unit-specific secondary emission limit.

(2) A unit-specific secondary emission limit established pursuant to Subsection 62-210.710(1), F.A.C., may be in a different form than the category-specific primary emission limit or unit-specific primary emission limit contained in the State Implementation Plan of the State of Florida, identified in 40 C.F.R. 52.520. Any secondary emission limit applicable during a transient mode of operation must be in one of the following forms:

(a) A unit-specific numerical emission limit equivalent to emissions levels during the transient mode of operation under best practices for the unit;

(b) A unit-specific numerical emission limit established under a federal New Source Performance Standard (NSPS) or National Emission Standards for Hazardous Air Pollutant (NESHAP) that applies during a transient mode of operation and is representative of best practices for the unit;

(c) A unit-specific federal NSPS- or NESHAP-based work practice standard that applies during a transient mode of operation and is representative of best practices for the unit; or

(d) A unit-specific work practice standard representative of best practices for the unit.

Specific Authority 403.061 FS, Law Implemented 403.021, 403.031, 403.061, 403.087 FS, History-New _____.

DETAILED STATEMENT OF FACTS AND CIRCUMSTANCES

JUSTIFYING PROPOSED RULE

Re: Rules 62-210.700 and 62-210.710, Florida Administrative Code (F.A.C.)

Notice of Proposed Rulemaking: September 1, 2016

OGC No. 15-0395

Project: Excess Emissions and Emission Limits During Transient Modes of Operation

FILED
2016 OCT -3 PM 1:21
HALL COUNTY CLERK
TALLAHASSEE, FLORIDA

Introduction

The purpose of the proposed rulemaking (OGC No. 15-0395) is to revise Rule 62-210.700, F.A.C. (“Excess Emissions”), and add a new rule section, Rule 62-210.710, F.A.C. (“Emission Limits During Transient Modes of Operation”), to Chapter 62-210, F.A.C. (“Stationary Sources – General Requirements”). Promulgation of these rules is necessary to meet the legal requirements of the United States Environmental Protection Agency’s (EPA) Notice of Final Rule published in the Federal Register on June 12, 2015 (80 Fed. Reg. 33,840). EPA’s Final Rule has been challenged in the D.C. Circuit Court of Appeals by multiple states, including the State of Florida, in *Walter Coke, Inc. v. U.S. EPA*, USCA Case No. 15-1166.

Need for Rule Change

On June 12, 2015, EPA published in the Federal Register a final rule concerning its interpretation of federal Clean Air Act (CAA) requirements for emission limits incorporated into states’ State Implementation Plans (SIP).¹ 80 Fed.

¹ The general components of Florida’s SIP are identified at 40 C.F.R. Part 52, Subpart K. In addition to incorporating rules associated with the implementation of the Clean Air Act in Florida, Florida’s SIP incorporates a range of generally applicable emission limits, codified in Chapter 62-296, F.A.C., together with permit-based unit-specific emissions limits that address particular units in areas of the state that are subject to Nonattainment Area Plans and units that are identified in the state’s approved Regional Haze Plan.

Florida Department of Environmental Protection – Division of Air Resource Management
Facts & Circumstances Justifying Proposed Rule – Rules 62-210.700 and 62-210.710, F.A.C.

Reg. 33,840. CAA Section 110(k)(5) allows EPA to issue a “SIP Call” to states if EPA determines that the states’ existing SIPs are “substantially inadequate.” EPA’s SIP Call found that 36 states, including Florida, had rules in their SIPs that were inconsistent with EPA’s interpretation of the CAA, as these rules rendered certain SIP emission limits not continuous (i.e., the SIP did not contain “practically and legally enforceable” emission limits applicable during periods of startup, shutdown, and malfunction). EPA provided a deadline of November 22, 2016 for states to submit SIP revisions that remove or amend the identified regulations. In order to meet this deadline, the Department must first amend the underlying state rule, Rule 62-210.700, F.A.C., via the state rulemaking process, and then submit the revised rule to EPA as a revision to Florida’s SIP.

This rulemaking is intended to respond to EPA’s SIP Call. The proposed rule language is consistent with EPA’s revised interpretation of the Clean Air Act and specifies how secondary emission limits that apply during transient modes of operation should be developed. This rulemaking has two prongs.

The first prong revises Rule 62-210.700, F.A.C., by combining Subsections 62-210.700(1) and (4) and Subsections 62-210.700(2) and (4), F.A.C. The revised Subsections 62-210.700(1) and (2), F.A.C., are then sunset for the purposes of emission limits in Florida’s SIP. This means that although Subsections 62-210.700(1) and (2), F.A.C., remain in the Florida Administrative Code, they cannot apply to SIP emission limits after the specified sunset date. The Department also is proposing to remove a clause from Subsection 62-210.700(3), F.A.C., that EPA determined to be inadequate, which allowed electrical generating units to have opacity in excess of 60% for up to 24 minutes while soot blowing.

These proposed changes to Rule 62-210.700, F.A.C., respond to EPA’s SIP Call by sunsetting or amending the four provisions EPA believes are inconsistent with its current interpretation of the Clean Air Act (i.e., Subsections 62-210.700(1) through (4), F.A.C.). The legal effect of the sunset date will mean that after that date, SIP-based steady-state emission limits will apply at all times.

In order to avoid subjecting facilities to steady-state emission limits during transient operations, the second prong of this rulemaking provides a process for a facility to request that the Department establish by permit a unit-specific

Florida Department of Environmental Protection – Division of Air Resource Management
Facts & Circumstances Justifying Proposed Rule – Rules 62-210.700 and 62-210.710, F.A.C.

secondary SIP emission limit to apply in lieu of the facility's primary steady-state SIP emission limit. The procedure for requesting and receiving a secondary emission limit will be codified in a new rule section, Rule 62-210.710, F.A.C., and will ensure that all facilities have emission limits that are achievable, even during transient modes of operation. The new proposed rule specifically requires that sources requesting a secondary emission limit demonstrate that they cannot meet the primary steady-state emission limit during a transient mode of operation. The rule provides a process for determining a suitable secondary emission limit, which may take a number of forms, as specified in Subsection 62-210.710(2)(a)-(d), F.A.C.

The net effect of the sunset clause and the addition of the new rule will be that sources unable to meet an applicable SIP emission limit during a transient mode of operation will have adequate time to develop and have incorporated into their operating permit a secondary emission limit prior to the sunset of Subsections 62-210.700(1) and (2), F.A.C.

Summary of Rule Amendments

The specific rule amendments are as follows:

Rule Number	Detailed Explanation
62-210.700, F.A.C.	Revise Rule 62-210.700, F.A.C., ("Excess Emissions"), to add a sunset clause, rendering certain parts of this rule void past a certain future date. Revisions to this rule are necessary to meet the legal requirements of the United States Environmental Protection Agency's (EPA) Final Rule dated May 22, 2015 (80 Fed. Reg. 33,840), which found that Florida's current rule on excess emissions during periods of startup, shutdown, and malfunction (SSM) was substantially inadequate under EPA's interpretation of the Clean Air Act and recent court decisions. EPA's Final Rule has been challenged in the D.C. Circuit Court of Appeals by multiple states, including the State of Florida, in <i>Walter Coke, Inc. v. U.S. EPA</i> , USCA Case No. 15-1166. Once the specified provisions are sunsetted, affected facilities subject to emission limits in Florida's State Implementation Plan will be required to meet those limits at all times, or these facilities may avail themselves of the provisions of new Rule 62-210.710, F.A.C. (below) to establish secondary emission limits applicable

Florida Department of Environmental Protection – Division of Air Resource Management
 Facts & Circumstances Justifying Proposed Rule – Rules 62-210.700 and 62-210.710, F.A.C.

	<p>during transient modes of operation. Statutes implemented: 403.021, 403.031, 403.061, and 403.087, F.S.</p>
<p>62-210.710, F.A.C.</p>	<p>Add new Rule 62-210.710, F.A.C., (“Emission Limits During Transient Modes of Operation”), to provide a process for facilities to receive secondary emission limitations during transient modes of operation (i.e., during periods of startup, shutdown, maintenance, and malfunction). The rule revision will describe the process by which secondary emissions limits and systems of emissions control during SSM events may be specified in facilities’ operating permits. As noted above, the Department’s regulatory approach in response to EPA’s mandate will enable affected facilities to request voluntary emissions limits that reflect existing emissions control practices during transient modes of operation, and is not expected to increase the regulatory burden on affected facilities.</p> <p>Statutes implemented: 403.021, 403.031, 403.061, and 403.087, F.S.</p>

SUMMARY OF THE RULE

On June 12, 2015, EPA published in the Federal Register a final rule concerning its interpretation of federal Clean Air Act (CAA) requirements for emission limits incorporated into states' State Implementation Plans (SIP).¹ 80 Fed. Reg. 33,840. CAA Section 110(k)(5) allows EPA to issue a "SIP Call" to states if EPA determines that the states' existing SIPs are "substantially inadequate." EPA's SIP Call found that 36 states, including Florida, had rules in their SIPs that were inconsistent with EPA's interpretation of the CAA, as these rules rendered certain SIP emission limits not continuous (i.e., the SIP did not contain "practically and legally enforceable" emission limits applicable during periods of startup, shutdown, and malfunction). EPA provided a deadline of November 22, 2016 for states to submit SIP revisions that remove or amend the identified regulations. In order to meet this deadline, the Department must first amend the underlying state rule, Rule 62-210.700, F.A.C., via the state rulemaking process, and then submit the revised rule to EPA as a revision to Florida's SIP.

This rulemaking is intended to respond to EPA's SIP Call. The proposed rule language is consistent with EPA's revised interpretation of the Clean Air Act and specifies how secondary emission limits that apply during transient modes of operation should be developed. This rulemaking has two prongs.

The first prong revises Rule 62-210.700, F.A.C., by combining Subsections 62-210.700(1) and (4) and Subsections 62-210.700(2) and (4), F.A.C. The revised Subsections 62-210.700(1) and (2), F.A.C., are then sunset for the purposes of emission limits in Florida's SIP. This means that although Subsections 62-210.700(1) and (2), F.A.C., remain in the Florida Administrative Code, they cannot apply to SIP emission limits after the specified sunset date. The Department also is proposing to remove a clause from Subsection 62-210.700(3), F.A.C., that EPA determined

¹ The general components of Florida's SIP are identified at 40 C.F.R. Part 52, Subpart K. In addition to incorporating rules associated with the implementation of the Clean Air Act in Florida, Florida's SIP incorporates a range of generally applicable emission limits, codified in Chapter 62-296, F.A.C., together with permit-based unit-specific emissions limits that address particular units in areas of the state that are subject to Nonattainment Area Plans and units that are identified in the state's approved Regional Haze Plan.

to be inadequate, which allowed electrical generating units to have opacity in excess of 60% for up to 24 minutes while soot blowing.

These proposed changes to Rule 62-210.700, F.A.C., respond to EPA's SIP Call by sunseting or amending the four provisions EPA believes are inconsistent with its current interpretation of the Clean Air Act (i.e., Subsections 62-210.700(1) through (4), F.A.C.). The legal effect of the sunset date will mean that after that date, SIP-based steady-state emission limits will apply at all times.

In order to avoid subjecting facilities to steady-state emission limits during transient operations, the second prong of this rulemaking provides a process for a facility to request that the Department establish by permit a unit-specific secondary SIP emission limit to apply in lieu of the facility's primary steady-state SIP emission limit. The procedure for requesting and receiving a secondary emission limit will be codified in a new rule section, Rule 62-210.710, F.A.C., and will ensure that all facilities have emission limits that are achievable, even during transient modes of operation. The new proposed rule specifically requires that sources requesting a secondary emission limit demonstrate that they cannot meet the primary steady-state emission limit during a transient mode of operation. The rule provides a process for determining a suitable secondary emission limit, which may take a number of forms, as specified in Subsection 62-210.710(2)(a)-(d), F.A.C.

The net effect of the sunset clause and the addition of the new rule will be that sources unable to meet an applicable SIP emission limit during a transient mode of operation will have adequate time to develop and have incorporated into their operating permit a secondary emission limit prior to the sunset of Subsections 62-210.700(1) and (2), F.A.C.

Summary of Rule Amendments

The specific rule amendments are as follows:

Rule Number	Detailed Explanation
-------------	----------------------

62-210.700, F.A.C.	<p>Revise Rule 62-210.700, F.A.C., (“Excess Emissions”), to add a sunset clause, rendering certain parts of this rule void past a certain future date. Revisions to this rule are necessary to meet the legal requirements of the United States Environmental Protection Agency’s (EPA) Final Rule dated May 22, 2015 (80 Fed. Reg. 33,840), which found that Florida’s current rule on excess emissions during periods of startup, shutdown, and malfunction (SSM) was substantially inadequate under EPA’s interpretation of the Clean Air Act and recent court decisions. EPA’s Final Rule has been challenged in the D.C. Circuit Court of Appeals by multiple states, including the State of Florida, in <i>Walter Coke, Inc. v. U.S. EPA</i>, USCA Case No. 15-1166. Once the specified provisions are sunsetted, affected facilities subject to emission limits in Florida’s State Implementation Plan will be required to meet those limits at all times, or these facilities may avail themselves of the provisions of new Rule 62-210.710, F.A.C. (below) to establish secondary emission limits applicable during transient modes of operation. Statutes implemented: 403.021, 403.031, 403.061, and 403.087, F.S.</p>
62-210.710, F.A.C.	<p>Add new Rule 62-210.710, F.A.C., (“Emission Limits During Transient Modes of Operation”), to provide a process for facilities to receive secondary emission limitations during transient modes of operation (i.e., during periods of startup, shutdown, maintenance, and malfunction). The rule revision will describe the process by which secondary emissions limits and systems of emissions control during SSM events may be specified in facilities’ operating permits. As noted above, the Department’s regulatory approach in response to EPA’s mandate will enable affected facilities to request voluntary emissions limits that reflect existing emissions control practices during transient modes of operation, and is not expected to increase the regulatory burden on affected facilities.</p> <p>Statutes implemented: 403.021, 403.031, 403.061, and 403.087, F.S.</p>

SUMMARY OF THE HEARING

No timely request for hearing was received by the agency and no hearing was held.

FILED
2018 OCT -3 PM 14:24
CLERK OF CIRCUIT COURT
JUDICIAL CIRCUIT IN AND FOR
FLORIDA

13-96, Amended 6-25-96, 10-7-96, 10-17-96, 12-20-96, 4-18-97, 6-18-97, 7-7-97, 10-3-97, 12-10-97, 3-2-98, 4-7-98, 5-20-98, 6-8-98, 10-19-98, 4-1-99, 7-1-99, 9-1-99, 10-1-99, 4-1-00, 10-1-00, 1-1-01, 8-1-01, 10-1-01, 4-1-02, 7-1-02, 10-1-02, 1-1-03, 4-1-03, 10-1-03, 1-1-04, 4-1-04, 7-1-04, 10-1-04, 1-1-05, 4-1-05, 7-1-05, 10-1-05, 1-1-06, 4-1-06, 7-1-06, 9-4-06, 9-6-06, 1-8-07, 1-31-07, 4-2-07, 5-31-07, 7-2-07, 10-1-07, 2-1-08, 7-1-08, 10-1-08, 10-6-08, 12-1-08, 11-18-09, 6-11-10, 7-1-10, 10-1-10, 12-30-10, 12-1-11, 12-1-12, 5-22-13, 12-17-13, 1-24-14, 1-14-15, 1-7-16,_____.

NAME OF PERSON ORIGINATING PROPOSED RULE:
Cindy Phillips, Division of Air Resource Management
NAME OF AGENCY HEAD WHO APPROVED THE
PROPOSED RULE: Jonathan P. Steverson, Secretary
DATE PROPOSED RULE APPROVED BY AGENCY
HEAD: August 22, 2016
DATE OF NOTICE OF PROPOSED RULE
DEVELOPMENT PUBLISHED IN FAR: June 8, 2016

DEPARTMENT OF ENVIRONMENTAL PROTECTION
Division of Air Resource Management
RULE NOS.: RULE TITLES:
62-210.700 Excess Emissions
62-210.710 Emission Limits During Transient Modes of
 Operation

PURPOSE AND EFFECT: The purpose of this proposed rule is to add a new rule section to Chapter 62-210, F.A.C., and to revise specified provisions of Rule 62-210.700, F.A.C. Promulgation of these rules is intended to meet the legal requirements of the United States Environmental Protection Agency's Notice of Final Rule published in the Federal Register on June 12, 2015 (80 FR 33840). EPA's Final Rule has been challenged in the D.C. Circuit Court of Appeals by multiple states, including the State of Florida, in *Walter Coke, Inc. v. U.S. EPA*, USCA Case No. 15-1166.

SUMMARY: The proposed rule amendments address emission limitations during transient operating conditions at regulated facilities, including periods of startup, shutdown, and malfunction.

OTHER RULES INCORPORATING RULE 62-210.700
F.A.C.: 62-110.107, 62-212.720, 62-213.440, 62-296.401, 62-296.404, 62-296.570, 62-296.702, and 62-297.310, F.A.C.

OTHER RULES INCORPORATING RULE 62-210.710,
F.A.C.: None

EFFECT ON THOSE OTHER RULES: The effect of the revisions in Rule 62-210.700, F.A.C., will be to incorporate those changes as intended by the cross reference.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COST: The Department has determined that this rulemaking will not have an adverse impact on small business or likely increase regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A statement of estimated

regulatory costs (SERC) has not been prepared by the Department. The Department has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs, or, if no SERC is required, the information expressly relied upon and described herein: Based on the Department's analysis, the Department has determined that this rulemaking will not increase regulatory costs for any small business and will only have a small regulatory cost for facilities that choose to prepare an air construction permit application pursuant to Rule 62-210.710, F.A.C. The Department estimates that the regulatory cost for these facilities will be less than \$200,000 in the first year of implementation. Any person who wishes to provide a proposal for a lower cost regulatory alternative, must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 403.061, FS.

LAW IMPLEMENTED: 403.021, 403.031, 403.061, 403.087, FS.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE HELD AT THE DATE, TIME AND PLACE SHOWN BELOW. (IF NOT REQUESTED, THIS HEARING WILL NOT BE HELD):

DATE AND TIME: SEPTEMBER 26, 2016, 10:00 a.m.

PLACE: Department of Environmental Protection, 2600 Blair Stone Road, Tallahassee, Florida, Conference Room 609

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Terri Long, (850)717-9023, E-mail: Terri.Long@dep.state.fl.us. If you are hearing or speech impaired, please contact the agency by using the Florida Relay Service, 1 (800)955-8771 (TDD) or 1 (800)955-8770 (Voice).

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Preston McLane, Florida Department of Environmental Protection, Division of Air Resource Management, 2600 Blair Stone Road, MS 5500, Tallahassee, Florida 32399-2400, Telephone: (850)717-9089, E-mail: Preston.McLane@dep.state.fl.us

THE FULL TEXT OF THE PROPOSED RULE IS:

62-210.700 Excess Emissions.

(1) Excess emissions resulting from startup, shutdown or malfunction of any emissions unit shall be permitted provided ~~providing~~ (1) best-operational practices to minimize emissions are adhered to and (2) the duration of excess emissions shall be minimized but in no case exceed two hours in any 24-hour period unless specifically authorized by the Department for longer duration. Excess emissions that are caused entirely or in part by poor maintenance, poor operation, or any other

equipment or process failure that may reasonably be prevented during startup, shutdown or malfunction shall be prohibited.

(2) Excess emissions from existing fossil fuel steam generators resulting from startup or shutdown shall be permitted provided that best-operational practices to minimize emissions are adhered to and the duration of excess emissions shall be minimized. Excess emissions that are caused entirely or in part by poor maintenance, poor operation, or any other equipment or process failure that may reasonably be prevented during startup, shutdown or malfunction shall be prohibited.

(3) Visible Excess emissions from existing fossil fuel steam generators resulting from boiler cleaning (soot blowing) and load change may be up to 60 percent opacity, based upon a six-minute average, for a period of up to 3 hours in any 24-hour period shall be permitted provided the duration of such excess emissions shall not exceed 3 hours in any 24-hour period and visible emissions shall not exceed Number 3 of the Ringelmann Chart (60 percent opacity), and providing (1) best operational practices to minimize visible emissions are adhered to and (2) the duration of elevated opacity emissions shall be is minimized. Particulate matter emissions from existing fossil fuel steam generators during periods of boiler cleaning (soot blowing) and load change may average up to 0.3 pounds per million BTU heat input for a period of up to 3 hours in any 24-hour period provided (1) best practices to minimize particulate matter emissions are adhered to and (2) the duration of elevated particulate matter emissions is minimized. A load change, other than startup or shutdown, occurs when the operational capacity of a fossil fuel steam generating unit is operating in the range of 10 percent to 100 percent of rated capacity, range, other than startup or shutdown, which the change in operation exceeds 10 percent of the unit's rated capacity, and which the change in operation occurs at a rate of 0.5 percent or more per minute or more. Visible emissions above 60 percent opacity shall be allowed for not more than 4, six (6) minute periods, during the 3-hour period of excess emissions allowed by this subparagraph, for boiler cleaning and load changes, at units which have installed and are operating, or have committed to install or operate, continuous opacity monitors. Particulate matter emissions shall not exceed an average of 0.3 lbs. per million BTU heat input during the 3-hour period of excess emissions allowed by this subparagraph.

(4) Excess emissions which are caused entirely or in part by poor maintenance, poor operation, or any other equipment or process failure which may reasonably be prevented during startup, shutdown, or malfunction shall be prohibited.

(5) through (6) renumbered (4) through (5) No change.

(6) After May 22, 2018, Subsections 62-210.700(1) and (2), F.A.C., shall not apply to:

(a) Emission limits in Chapter 62-296, F.A.C., that have been or that become incorporated into the State Implementation Plan for the State of Florida, identified in 40 CFR 52.520; and

(b) Unit-specific emission limits that have been or that become incorporated into the State Implementation Plan for the State of Florida, identified in 40 CFR 52.520.

(7) Subsections 62-210.700(1) and (2), F.A.C., shall not apply to unit-specific emission limits established after *[insert date of rule adoption]* pursuant to Rules 62-212.400 and 62-212.500, F.A.C.

Specific Authority 403.061 FS. Law Implemented 403.021, 403.031, 403.061, 403.087 FS. History—Formerly 17-2.250, 17-210.700, Amended 11-23-94, _____.

62-210.710 Emission Limits during Transient Modes of Operation.

(1) A facility may request that the Department establish by permit one or more unit-specific secondary emission limits to apply during a specified transient mode of operation in lieu of the unit's primary emission limit in Chapter 62-296, F.A.C., or the State Implementation Plan for the State of Florida, identified in 40 CFR 52.520. Transient modes of operation include, but are not limited to, periods of startup, shutdown, or fuel switching. In order to be eligible for a secondary emission limit applicable during a specified transient mode of operation, the facility must provide to the Department data and documentation sufficient to:

(a) Describe the specific operating conditions that mark the commencement and completion of the transient mode of operation, the duration of those operating conditions, and the operational variations in the process and control equipment and operations being permitted that could affect the frequency or duration of the transient mode of operation; and

(b) Demonstrate that the frequency and duration of the transient mode of operation will be limited to the greatest extent practicable; and

(c) Demonstrate that the unit's emission control strategy for compliance with the otherwise applicable category-specific primary emission limit or unit-specific primary emission limit contained in the State Implementation Plan of the State of Florida, identified in 40 CFR 52.520, is technically infeasible during the transient mode of operation; and

(d) Demonstrate that the unit is unable to comply with the otherwise applicable category-specific primary emission limit or unit-specific primary emission limit contained in the State Implementation Plan of the State of Florida, identified in 40 CFR 52.520; and

(e) Define best practices for the unit for limiting the extent and duration of emissions of the regulated air pollutant during the transient mode of operation; and

(f) Determine a secondary emission limit that (1) reflects best practices and (2) minimizes the extent and duration of emissions of the regulated air pollutant during the transient mode of operation to the greatest extent practicable; and

(g) Demonstrate that the facility has implemented or will implement recordkeeping practices (e.g. continuous emissions monitoring, parametric data collection and storage, contemporaneous operating logs) sufficient to demonstrate compliance with the unit-specific secondary emission limit.

(2) A unit-specific secondary emission limit established pursuant to Subsection 62-210.710(1), F.A.C., may be in a different form than the category-specific primary emission limit or unit-specific primary emission limit contained in the State Implementation Plan of the State of Florida, identified in 40 CFR 52.520. Any secondary emission limit applicable during a transient mode of operation must be in one of the following forms:

(a) A unit-specific numerical emission limit equivalent to emissions levels during the transient mode of operation under best practices for the unit;

(b) A unit-specific numerical emission limit established under a federal New Source Performance Standard (NSPS) or National Emission Standards for Hazardous Air Pollutant (NESHAP) that applies during a transient mode of operation and is representative of best practices for the unit;

(c) A unit-specific federal NSPS- or NESHAP-based work practice standard that applies during a transient mode of operation and is representative of best practices for the unit; or

(d) A unit-specific work practice standard representative of best practices for the unit.

Specific Authority 403.061 FS, Law Implemented 403.021, 403.031, 403.061, 403.087 FS, History-New

NAME OF PERSON ORIGINATING PROPOSED RULE:

Hastings Read, Division of Air Resource Management

NAME OF AGENCY HEAD WHO APPROVED THE

PROPOSED RULE: Jonathan P. Steverson, Secretary

DATE PROPOSED RULE APPROVED BY AGENCY

HEAD: August 22, 2016

DATE OF NOTICE OF PROPOSED RULE

DEVELOPMENT PUBLISHED IN FAR: June 8, 2016

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Air Resource Management

RULE NOS.: RULE TITLES:

62-243.300 Exemptions

62-243.500 Enforcement

PURPOSE AND EFFECT: Pursuant to Executive Orders 11-01, 11-72 and 11-211, which require the Department to identify and revise rules that are unnecessary, unnecessarily burdensome, or duplicative, the Department is proposing to revise Rules 62-243.300, and 62-243.500, F.A.C. The

revisions will eliminate reference to a previously repealed rule and delete provisions that are unnecessary for implementation of the Florida Statutes.

SUMMARY: The proposed rule amendments address tampering with motor vehicle air pollution control equipment.

OTHER RULES INCORPORATING RULE 62-243.300, F.A.C.: 62-243.500, F.A.C.

OTHER RULES INCORPORATING RULE 62-243.500, F.A.C.: 62-243.300, F.A.C.

EFFECT ON THOSE OTHER RULES: There will be no effect on other rules.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COST: The Department has determined that amendment of this rule will not have an adverse impact on small business or increase regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. The Department has not prepared a statement of estimated regulatory costs (SERC). The Department has determined that the proposed rule is not expected to require legislative ratification based on the SERC, or, if no SERC is required, the information expressly relied upon and described herein: The Department has determined that the amendments to these rules remove unnecessary portions of the rules and therefore will not increase regulatory costs for any entity. Any person who wishes to provide a proposal for a lower cost regulatory alternative, must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 316.2935, FS.

LAW IMPLEMENTED: 316.2935, FS.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE HELD AT THE DATE, TIME AND PLACE SHOWN BELOW. (IF NOT REQUESTED, THIS HEARING WILL NOT BE HELD):

DATE AND TIME: SEPTEMBER 26, 2016, 10:00 a.m.

PLACE: Department of Environmental Protection, 2600 Blair Stone Road, Tallahassee, Florida, Conference Room 609

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Terri Long, (850)717-9023, E-mail: Terri.Long@dep.state.fl.us. If you are hearing or speech impaired, please contact the agency by using the Florida Relay Service, 1 (800)955-8771 (TDD) or 1 (800)955-8770 (Voice).

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Terri Long, Florida Department of Environmental Protection, Division of Air Resource Management, 2600 Blair Stone Road, MS 5500, Tallahassee, Florida, 32399-2400, Telephone: (850)717-9023, E-mail: Terri.Long@dep.state.fl.us

PUBLIC PARTICIPATION

Response to 40 C.F.R. 51.102 Requirements

(a) Except as otherwise provided in paragraph (c) of this section and within the 30-day notification period as required by paragraph (d) of this section, States must provide notice, provide the opportunity to submit written comments and allow the public the opportunity to request a public hearing. The State must hold a public hearing or provide the public the opportunity to request a public hearing. The notice announcing the 30-day notification period must include the date, place and time of the public hearing. If the State provides the public the opportunity to request a public hearing and a request is received the State must hold the scheduled hearing or schedule a public hearing (as required by paragraph (d) of this section). The State may cancel the public hearing through a method it identifies if no request for a public hearing is received during the 30-day notification period and the original notice announcing the 30-day notification period clearly states: *If no request for a public hearing is received the hearing will be cancelled; identifies the method and time for announcing that the hearing has been cancelled; and provides a contact phone number for the public to call to find out if the hearing has been cancelled.*

The opportunity to submit written comments, request a public hearing, or participate in a public hearing on the proposed State Implementation Plan (SIP) revision was advertised in the Florida Administrative Register (FAR) at least 30 days prior to the scheduled hearing date. Information regarding the date, place and time of the public hearing, was included in the notice. A copy of the notice is included in this section of the submittal document.

(b) Separate hearings may be held for plans to implement primary and secondary standards.

Not applicable.

(c) No hearing will be required for any change to an increment of progress in an approved individual compliance schedule unless such change is likely to cause the source to be unable to comply with the final compliance date in the schedule. The requirements of §§51.104 and 51.105 will be applicable to such schedules, however.

Not applicable.

(d) Any hearing required by paragraph (a) of this section will be held only after reasonable notice, which will be considered to include, at least 30 days prior to the date of such hearing(s):

(1) Notice given to the public by prominent advertisement in the area affected announcing the date(s), time(s), and place(s) of such hearing(s);

The opportunity to submit comments, request a public hearing, or participate in a public hearing on the proposed SIP revision was advertised in the FAR at least 30 days prior to the scheduled date of the hearing (see response (a)).

(2) Availability of each proposed plan or revision for public inspection in at least one location in each region to which it will apply, and the availability of each compliance schedule for public inspection in at least one location in the region in which the affected source is located;

The materials proposed to be incorporated into the SIP were made available for public inspection on the Department of Environmental Protection (DEP) website at <http://www.dep.state.fl.us/air/rules/regulatory.htm>. DEP district offices and DEP-approved local air pollution control program offices were provided the notice that the Division had publicly noticed this SIP revision via the Divisions Regulatory Update on October 14, 2016.

(3) Notification to the Administrator (through the appropriate Regional Office);

The Region 4 office of the U.S. Environmental Protection Agency (EPA) was notified at least 30 days in advance of the scheduled hearing date and provided with copies of the materials proposed to be incorporated into the SIP. The pre-hearing submittal letter is included in this section.

(4) Notification to each local air pollution control agency which will be significantly impacted by such plan, schedule or revision;

Notification to affected local programs occurred via the Division's Regulatory Update on October 13, 2016. Each local program is included on the Division's Air Regulatory Projects Distribution List.

(5) In the case of an interstate region, notification to any other States included, in whole or in part, in the regions which are significantly impacted by such plan or schedule or revision.

40 C.F.R. 51.102(d)(5) requires states in an interstate region be notified if a SIP revision would significantly impact any neighboring states. The states of Alabama, Georgia, and Mississippi were not directly notified as this SIP revision will not significantly impact any of these states.

(e) The State must prepare and retain, for inspection by the Administrator upon request, a record of each hearing. The record must contain, as a minimum, a list of witnesses together with the text of each presentation.

An audio recording of the hearing (if held) including all witness testimony is available.

(f) The State must submit with the plan, revision, or schedule, a certification that the requirements in paragraph (a) and (d) of this section were met. Such certification will include the date and place of any public hearing(s) held or that no public hearing was requested during the 30-day notification period.

Certification that the hearing was noticed in accordance with the requirements of 40 C.F.R. 51.102 is included in the letter of submittal.

Notice of Opportunity to Submit Comments or Request Public Hearing

Florida Administrative Register

Volume 42, Number 200, October 13, 2016

DATE AND TIME: October 28, 2016, 9:00 a.m. – 12:00 Noon

PLACE: Marathon Government Center, Board Meeting Room, 2798 Overseas Highway, Marathon, FL 33050

GENERAL SUBJECT MATTER TO BE CONSIDERED: Update the members of the Subcommittee and the general public on the progress of ongoing canal water quality restoration projects and discussion of future actions. The meeting is open to the public.

A copy of the agenda may be obtained by contacting: Gus Rios, Environmental Administrator, South District Marathon Office, (305)289-7081, gus.rios@dep.state.fl.us.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Gus Rios, Environmental Administrator, South District Marathon Office, (305)289-7081, gus.rios@dep.state.fl.us. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

DEPARTMENT OF ENVIRONMENTAL PROTECTION

The Division of Air Resource Management announces a hearing to which all persons are invited.

DATE AND TIME: November 16, 2016, 10:00 a.m.

PLACE: Department of Environmental Protection, Bob Martinez Center, Lab Conference Room 204-208, 2600 Blair Stone Road, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED: Pursuant to 40 C.F.R. 51.102, the Department of Environmental Protection (DEP) announces the opportunity for the public to request a hearing or offer comments on a proposed revision to Florida's State Implementation Plan (SIP) under the Clean Air Act. The proposed SIP revision consists of amendments to one Florida Administrative Code (F.A.C.) rule section. The rule section that the Department is requesting be amended within Florida's SIP are contained in Chapter 62-210, F.A.C., "Stationary Sources – General Requirements." This proposed SIP revision is intended to meet the legal requirements of the United States Environmental Protection Agency's Notice of Final Rule published in the Federal Register on June 12, 2015 (80 FR 33840). EPA's Final Rule has been challenged in the D.C. Circuit Court of Appeals by multiple states, including the State of Florida, in *Walter Coke, Inc. v. U.S. EPA*, USCA Case No. 15-1166. The materials comprising DEP's proposed SIP revision are accessible at the following website: <http://www.dep.state.fl.us/air/rules/regulatory.htm>. The materials may also be inspected during normal business hours at the DEP, Division of Air Resource Management offices,

2600 Blair Stone Road, Tallahassee, Florida, or accessed with the aid of any DEP District Air Section or DEP-approved local air pollution control office. A public hearing will be held, if requested, at the date, time, and place given above. It is not necessary that the hearing be held or attended in order for persons to comment on DEP's proposed submittal to EPA. Any request for a public hearing must be submitted by letter to Preston McLane, Department of Environmental Protection, Division of Air Resource Management, 2600 Blair Stone Road, MS 5500, Tallahassee, Florida 32399-2400 or by email to Preston.McLane@dep.state.fl.us, and received no later than November 14, 2016. A copy of the hearing agenda may be obtained by contacting: Preston McLane by letter sent to the above address, by email to Preston.McLane@dep.state.fl.us or by calling (850)717-9089. If no request for a public hearing is received, the hearing will be cancelled, and notice of the cancellation will be posted at the following website: <https://www.fldepnet.org/public-notices>. Persons may also contact Terri Long at (850)717-9023 to find out if the hearing has been cancelled. It is not necessary that the hearing be held or attended in order for persons to comment on DEP's proposed submittal to EPA. Any comments must be submitted to Preston McLane by letter to the address above or by email to Preston.McLane@dep.state.fl.us, with a copy to Terri Long, Terri.Long@dep.state.fl.us, and received no later than November 14, 2016.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: Ms. Long at (850)717-9023 or Terri.Long@dep.state.fl.us. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice). For more information, you may contact: Mr. McLane by letter or email or by calling (850)717-9089.

DEPARTMENT OF HEALTH

Board of Chiropractic Medicine

The Board of Chiropractic Medicine announces a public meeting to which all persons are invited.

DATE AND TIME: November 4, 2016, 8:30 a.m.

PLACE: Marriott North, 6650 N. Andrews Avenue, Ft. Lauderdale, FL 33309

GENERAL SUBJECT MATTER TO BE CONSIDERED: General Board Meeting.

A copy of the agenda may be obtained by contacting: <http://floridaschiropracticmedicine.gov/>.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the

Notification to Districts/Locals of SIP Hearing, if Requested



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Carlos Lopez-Cantera
Lt. Governor

Jonathan P. Steverson
Secretary

Via Electronic Mail

TO: Air Regulatory Projects Distribution List
FROM: Preston McLane, Program Administrator
Division of Air Resource Management
Office of Business Planning
DATE: October 13, 2016
SUBJECT: Air Regulatory Projects Update No. 2016-04

Distribution of Updates

To keep regulatory staff and other interested persons informed of regulatory development and reform activities undertaken by the Department of Environmental Protection (DEP), Division of Air Resource Management (DARM), an Air Regulatory Projects Update is transmitted periodically via email to summarize recent air rule development and state planning activities.

Please be aware that Notices of Rule Development, Notices of Rule Workshops or Hearing, Notices of Proposed Rule, Notice of Change, Notices of Intent to Adopt a Rule, and Notices of Withdrawal pertaining to specific Florida rule sections are published in the Florida Administrative Register (FAR) (available online at <https://www.flrules.org/default.asp>). Although DARM's Air Regulatory Projects Update may coincide with open comment periods for specific rulemaking activities, the Update is not intended to serve as general or specific notice of any pending rulemaking activity or as a substitute for the public notices published in the FAR.

This Air Regulatory Projects Update lists Florida air rules recently adopted, revised, or repealed, guidance memoranda issued, and Clean Air Act (CAA) State Implementation Plan (SIP) revisions recently submitted to the U.S. Environmental Protection Agency (EPA) by DARM.

For additional information on current and recently completed air regulatory projects, including workshop materials and other project-related documents, please visit the DARM Regulatory Projects web page at <http://www.dep.state.fl.us/air/rules/regulatory.htm> and follow the links to individual projects of interest.

Please contact Terri Long at 850-717-9023 or Terri.Long@dep.state.fl.us to add, remove, or update any email address for future distribution of Air Regulatory Projects Updates.

Update

Proposed Revision to Florida's State Implementation Plan; Revisions to Excess Emissions Rule – Rule 62-210.700, F.A.C. On October 13, 2016, DEP published a Notice of Hearing on a proposed revision to Florida's SIP under the CAA. DEP will request that the United States Environmental Protection Agency (EPA) revise Florida's SIP to include revisions to Rule 62-

Air Regulatory Projects Update No. 2016-04
Page 1 of 4

210.700, F.A.C. These revisions are intended to meet the legal requirements of EPA's Notice of Final Rule published in the Federal Register on June 12, 2015 (80 FR 33840).

Rules 62-204.340, 62-204.500, and 62-204.800, F.A.C. On October 3, 2016, DEP filed the final revisions to Chapter 62-204, F.A.C. (Air Pollution Control – General Provisions) with the Department of State. The revisions to Rules 62-204.340, 62-204.500, and 62-204.800, F.A.C., update and revise outdated area designations, clarify language regarding general conformity, and amend Florida's Commercial Industrial Solid Waste Incinerator (CISWI) rule to provide for an equivalent alternative emission limit for mercury. The revisions to Chapter 62-204, F.A.C will be effective October 23, 2016.

Rule 62-210.700, F.A.C., and New Rule 62-210.710, F.A.C. On October 3, 2016, DEP filed the final revisions to Chapter 62-210, F.A.C. (Stationary Sources – General Requirements). The revisions to Chapter 62-210, F.A.C., add a new rule section 62-210.710, F.A.C., and to revise specified provisions of Rule 62-210.700, F.A.C. These revisions are intended to meet the legal requirements of the United States Environmental Protection Agency's Notice of Final Rule published in the Federal Register on June 12, 2015 (80 FR 33840). EPA's Final Rule has been challenged in the D.C. Circuit Court of Appeals by multiple states, including the State of Florida, in *Walter Coke, Inc. v. U.S. EPA*, USCA Case No. 15-1166. The revisions to Chapter 62-210, F.A.C., will be effective October 23, 2016.

Rules 62-243.300 and 62-243.500, F.A.C. On September 8, 2016, DEP received comments from the Joint Administrative Procedures Committee on the September 1, 2016, Notice of Proposed Rule for Chapter 62-243, F.A.C. (Tampering with Motor Vehicle Air Pollution Control Equipment). The purpose of the proposed rule is to eliminate obsolete references in Rule 62-243.300, F.A.C., to the previously repealed Rule 62-243.400, F.A.C., and remove unnecessary language in Rule 62-243.500, F.A.C. Rule 62-243.400, F.A.C. (Prohibitions), was previously repealed, effective February 16, 2012. Rule 62-243.300, F.A.C., references the now repealed Rule 62-243.400, F.A.C., and needs to be amended to eliminate the obsolete reference.

Current Air Regulatory Projects

1. **Proposed SIP Revision 2016-01 - Revisions to Excess Emissions Rule – Rule 62-210.700, F.A.C.**
10/13/16 Pre-Hearing Draft Proposed SIP revision submitted to EPA (Notice of Hearing published; 30-day Pre-Hearing Comment Period Commences; public hearing scheduled for November 16, 2016)
Contact: Preston McLane, 850-717-9089 or Preston.McLane@dep.state.fl.us

2. **Rules 62-204.340, 62-204.500, and 62-204.800, F.A.C., Designation of Attainment, Nonattainment and Maintenance Areas, Conformity and Federal Regulations Adopted by Reference**
Rules noticed: 62-204.340, 62-204.500, and 62-204.800 (OGC No. 15-0546)
10/03/16 Rule amendments adopted 10/03/16; effective 10/23/16
09/26/16 Public Hearing, if requested (hearing canceled, no hearing requested)
09/01/16 Notice of Proposed Rule published
06/08/16 Notice of Rule Development published
Contact: Cindy Phillips, 850-717-9098 or Cindy.Phillips@dep.state.fl.us

3. **Rules 62-243.300 and 62-243.500, F.A.C., Exemptions and Enforcement**
Rules noticed: 62-243.300, and 62-243.500 (OGC No. 16-0097)
09/08/16 JAPC Comment letter received by DEP

- 09/01/16 Notice of Proposed Rule published
06/08/16 Notice of Rule Development published
Contact: Terri Long, 850-717-9023 or Terri.Long@dep.state.fl.us
4. **Rule 62-210.700, and New Rule 62-210.710, F.A.C., Excess Emissions and Emission Limits During Transient Modes of Operation**
Rules noticed: 62-210.700, and 62-210.710 (OGC No. 15-0395)
10/03/16 Rule amendments adopted 10/03/16; effective 10/23/16
09/26/16 Public Hearing, if requested (hearing canceled, no hearing requested)
09/01/16 Notice of Proposed Rule published
06/08/16 Notice of Rule Development published
Contact: Preston McLane, 850-717-9089 or Preston.McLane@dep.state.fl.us
5. **Rules 62-210.200, 62-210.300, and 62-210.310, F.A.C., Definitions, Exemptions, and General Permits**
Rules noticed: 62-210.200, 62-210.300, and 62-210.310 (OGC No. 16-0106)
06/08/16 Notice of Rule Development published
Contact: Terri Long, 850-717-9023 or Terri.Long@dep.state.fl.us
6. **Rule 62-210.900, F.A.C., Forms and Instructions**
Rule noticed: 62-210.900 (OGC No. 15-0663)
06/08/16 Notice of Rule Development published
Contact: Cindy Phillips, 850-717-9098 or Cindy.Phillips@dep.state.fl.us
7. **Proposed Infrastructure SIP – 2012 Revised NAAQS for Particulate Matter (PM_{2.5})**
08/01/16 EPA proposed approval of Infrastructure SIP for 2012 PM_{2.5}
12/14/15 Proposed Infrastructure SIP submitted to EPA
11/17/15 Public Hearing, if requested (hearing canceled, no hearing requested)
10/15/15 Notice published of opportunity to submit comments and request a public hearing on proposed Infrastructure SIP
Contact: Preston McLane, 850-717-9089 or Preston.McLane@dep.state.fl.us
8. **Proposed SIP Revision 2015-04 – Florida SO₂ Nonattainment Area Plan for Hillsborough County**
08/23/16 EPA proposed approval of SIP Revision 2015-04
04/03/15 Proposed SIP revision submitted to EPA
03/20/15 Public Hearing, if requested (hearing canceled, no hearing requested)
02/17/15 Notice published of opportunity to submit comments and request a public hearing on proposed SIP revision
Contact: Preston McLane, 850-717-9089 or Preston.McLane@dep.state.fl.us
9. **Proposed SIP Revision 2015-03 – Florida SO₂ Nonattainment Area Plan for Nassau County**
08/23/16 EPA proposed approval of SIP Revision 2015-03
04/03/15 Proposed SIP revision submitted to EPA
03/20/15 Public Hearing, if requested (hearing canceled, no hearing requested)
02/17/15 Notice published of opportunity to submit comments and request a public hearing on proposed SIP revision
Contact: Preston McLane, 850-717-9089 or Preston.McLane@dep.state.fl.us

Recently Completed Air Regulatory Projects

Recently completed projects, listed in reverse chronological order by effective date of rule adoption/peal or by most recent date of submittal to EPA.

1. **SIP Revision 2015-01 – Florida Regional Haze Periodic Report**
08/02/16 EPA finalized approval of SIP Revision 2015-01
05/24/16 EPA proposed approval of SIP Revision 2015-01
03/01/15 Proposed SIP revision submitted to EPA
01/27/15 Public Hearing, if requested (hearing canceled, no hearing requested)
12/24/14 Notice published of opportunity to submit comments and request a public hearing on proposed SIP revision
Contact: Hastings Read, 850-717-9017 or Hastings.Read@dep.state.fl.us
2. **Adoption by Reference of EPA Regulations**
Rule noticed: 62-204.800 (OGC No. 15-0270)
01/07/16 Rule amendments adopted and effective 01/07/16
12/02/15 Notice of intent to adopt rule (fast-track) published
Contact: Terri Long, 850-717-9023 or Terri.Long@dep.state.fl.us
3. **SIP Revision 2015-02 – Florida Regional Haze Plan – McIntosh Revision**
10/23/15 EPA finalized approval of SIP Revision 2015-02
08/20/15 EPA proposed approval of SIP Revision 2015-02
03/01/15 Proposed SIP revision submitted to EPA
01/27/15 Public Hearing, if requested (hearing canceled, no hearing requested)
12/24/14 Notice published of opportunity to submit comments and request a public hearing on proposed SIP revision
Contact: Hastings Read, 850-717-9017 or Hastings.Read@dep.state.fl.us
4. **SIP Revision 2015-05 – Gasoline Vapor Control Rules**
08/12/15 EPA finalized approval of SIP Revision 2015-05
05/01/15 Proposed SIP revision submitted to EPA.
04/17/14 Notice published of opportunity to submit comments and request a public hearing on proposed SIP revision (no hearing requested)
Contact: Terri Long, 850-717-9023 or Terri.Long@dep.state.fl.us
5. **Update of Rule 62-297.310, F.A.C., General Compliance Test Requirements**
Rule noticed: 62-297.310 (OGC No. 12-0879)
03/09/15 Rule amendments adopted 02/17/15; effective 03/09/15
01/13/15 DEP responds to JAPC
08/19/14 OGC Tolloed 90 day clock
08/12/14 JAPC Comment letter received by DEP
08/07/14 DEP responds to JAPC
06/25/14 JAPC Comment letter received by DEP
06/12/14 Notice of proposed rule published
09/05/13 Notice of rule development published
Contact: Cindy Phillips, 850-717-9098 or Cindy.Phillips@dep.state.fl.us

EPA Comments on Pre-Hearing SIP Submittal



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 4
ATLANTA FEDERAL CENTER
61 FORSYTH STREET
ATLANTA, GEORGIA 30303-8960

November 15, 2016

Jeff Koerner
Interim Director
Division of Air Resource Management
Florida Department of Environmental Protection
2600 Blair Stone Rd., M.S. 5500
Tallahassee, Florida 32399-2400

Dear Mr. Koerner:

On October 13, 2016, the Region 4 Office of the U.S. Environmental Protection Agency received the Florida Department of Environment Protection Division's prehearing proposal responding to the EPA's June 12, 2015, final State Implementation Plan (SIP) call and finding of substantial inadequacy with respect to the treatment of excess emissions during periods of startup, shutdown and malfunction (SSM). We have completed our review of the submittal and offer comments in the enclosure.

We look forward to continuing to work with you and your staff. If you have any questions, please contact Ms. Lynorae Benjamin, Chief, Air Regulatory Management Section at (404) 562-9040, or have your staff contact Ms. Tiereny Bell at (404) 562-9088.

Sincerely,

A handwritten signature in blue ink, appearing to read "R. Scott Davis".

R. Scott Davis
Chief
Air Planning and Implementation Branch

Enclosure

cc: Preston McLane, Florida Department of Environment Protection

**The U.S. Environmental Protection Agency Comments on
Florida's Prehearing Submittal Addressing the SSM SIP Call**

I. General Comments

1. Footnote 4 of the Executive Summary of Florida's proposed SIP revision states:

The new rule section, Rule 62-210.710, F.A.C., details a process whereby facilities that are subject to SIP-based emission limits that may not be appropriate or achievable during transient modes of operation, such as during periods of startup or shutdown, can receive secondary emission limits that will be applicable during those periods. Rule 62-210.710, F.A.C., is not, however, proposed to be incorporated into Florida's SIP at this time.

Because Rule 62-210.710, F.A.C., is not proposed to be incorporated into Florida's SIP at this time, the EPA is not providing specific comments on its merits. However, the EPA would like make the following general comments:

- (1) Any emission limitation established as an alternative to an existing SIP emission limitation must be developed consistent with the EPA's SSM SIP policy and would have to be incorporated in the State's implementation plan and would not be effective for SIP purposes until it has been incorporated into the State's implementation plan, and
- (2) If Florida decides in the future to incorporate Rule 62-210.710, F.A.C., into its federally approved SIP, a provision will be needed that clarifies that an alternative limitation established via the process in Rule 62-210.710, F.A.C., does not replace an otherwise applicable SIP limit until the EPA approves the alternative limitation as a source-specific SIP revision.

2. The Detailed Statement of Facts and Circumstances Justifying the Proposed Rule states:

The net effect of the sunset clause and the addition of the new [state-only] rule will be that sources unable to meet the applicable SIP emission limit during a transient mode of operation will have adequate time to develop and have incorporated into their operating permit a secondary emission limit prior to the sunset of Subsections 62-210.700(1) and (2), F.A.C.

For sources subject to the title V operating permit program, please note that any emission limitation established as an alternative to an existing SIP emission limitation that has not yet been incorporated in the State's SIP would have to be identified in the title V permit as not being federally enforceable under the Clean Air Act, in accordance with 40 CFR 70.6(b)(2).

3. Proposed provision 62-210.700(6)(a), F.A.C., states that as of May 22, 2018, provisions 62-210.700(1) and (2), F.A.C., shall not apply to emission limits in Chapter 62-296, F.A.C., that have been or become incorporated into the SIP. Please clarify whether this provision, plus those covered under paragraph (6)(b), cover all SIP limits for which the sunset of provisions 62-210.700(1) and (2), F.A.C., should apply.

4. Proposed provision 62-210.700(6)(b), F.A.C., states that as of May 22, 2018, provisions 62-210.700(1) and (2), F.A.C., shall not apply to unit-specific emission limits that have been or become incorporated into the SIP. Please clarify why this provision should apply only to “unit-specific” limits.
5. Proposed provision 62-210.700(7), F.A.C., states that provisions 62-210.700(1) and (2), F.A.C., shall not apply to unit-specific emission limits established after October 23, 2016, pursuant to the State’s New Source Review permitting rules. Please clarify why this provision should apply only to “unit-specific” limits.

DEP Response to EPA Comments

On November 15, 2016, the EPA submitted comments to the Department on Florida's proposed SIP revision addressing Excess Emissions.

EPA Comment 1(1): EPA made a general comment noting that “[a]ny emission limitation established as an alternative to an existing SIP emission limitation must be developed consistent with EPA’s SSM SIP policy and would have to be incorporated into the State’s implementation plan and would not be effective for SIP purposes until it has been incorporated into the State’s implementation plan.”

Response to EPA Comment 1(1): The Department acknowledges EPA’s position that any emission limit established as an alternative to an existing SIP emission limit would not be effective for SIP purposes until the construction permit provision establishing that alternative emission limit or rule establishing that alternative emission limit has been incorporated into Florida’s SIP.

EPA Comment 1(2): EPA made a general comment noting that “[i]f Florida decides in the future to incorporate Rule 62-210.710, F.A.C., into its federally approved SIP, a provision will be needed that clarifies that an alternative limitation established via the process in Rule 62-210.710, F.A.C., does not replace an otherwise applicable SIP limit until the EPA approves the alternative limitation as a source-specific SIP revision.”

Response to EPA Comment 1(2): The Department acknowledges EPA’s position that should Rule 62-210.710, F.A.C., be incorporated into Florida’s SIP, any source-specific alternative emission limitation developed pursuant to that SIP provision would not replace an otherwise applicable SIP emission limit until the construction permit provision establishing that secondary emission limit has been incorporated into Florida’s SIP. Given EPA’s position on alternative limitations, this would be the case regardless of whether there is specific language in Rule 62-210.710, F.A.C., to that effect.

EPA Comment 2: EPA requested that the Department note in Title V permits “that any emission limit established as an alternative to an existing SIP emission limitation that has not been incorporated into the State’s SIP would have to be identified in the title V permit as not being federally enforceable under the Clean Air Act, in accordance with 40 C.F.R. 70.6(b).”

Response to EPA Comment 2: The Department acknowledges EPA’s position that any alternative emission limitation to an existing SIP emission limitation would not be federally enforceable until that alternative emission limitation has been incorporated into Florida’s SIP. Consistent with EPA’s position, pursuant to 40 C.F.R. 70.6(b), any alternative emission limitation to an existing SIP emission limitation would be identified in the title V permit as “not federally enforceable” until the limit is incorporated into Florida’s SIP.

EPA Comment 3: EPA requested that the Department clarify that Paragraphs 62-210.700(6)(a) and (b), F.A.C., “cover all SIP limits for which the sunseting of provision 62-210.700(1) and (2), F.A.C., should apply.”

Response to EPA Comment 3: There are two types of SIP emission limitations in Florida’s SIP. The first are rule-based emission limits that apply to specific source categories. The second are permit-based unit-specific emission limits that only apply to a specific unit. As such, Paragraphs 62-210.700(6)(a) and (b), F.A.C., are intended to cover the entire range of SIP emission limits. The sunseting of Subsections 62-210.700(1) and (2), F.A.C., in Subsection 62-210.700(6), F.A.C., cover all of Florida’s SIP emission limits.

EPA Comment 4: EPA requested that the Department clarify why Paragraph 62-210.700(6)(b), F.A.C., should “apply only to ‘unit-specific’ limits.”

Response to EPA Comment 4.: As stated above, Florida’s SIP only contains rule-based emission limits that apply to specific source categories and permit-based unit-specific emission limits that only apply to a specific unit. The purpose of Paragraph 62-210.700(6)(b), F.A.C., is to ensure that Subsections 62-210.700(1) and (2), F.A.C., will not apply to permit-based unit-specific SIP emission limits after May 22, 2018. The only other type of SIP emission limit is the category-specific SIP emission limits to which Subsections 62-210.700(1) and (2), F.A.C., will not apply after the sunset date in Paragraph 62-210.700(6)(a), F.A.C.

EPA Comment 5: EPA requested that the Department clarify why Subsection 62-210.700(7), F.A.C., should “apply only to ‘unit-specific’ limits.”

Response to EPA Comment 5: Pursuant to the Departments approved Prevention of Significant Deterioration (PSD) / New Source Review (NSR) permitting program, the Department is required to establish unit-specific Best Available Control Technology (BACT) emission limits. Subsection 62-210.700(7), F.A.C., ensures that BACT emission limitations established after October 23, 2016, are not subject to Subsections 62-210.700(1) and (2), F.A.C. The reason that this provision only applies to unit-specific emission limits is that the PSD/NSR permitting program establishes only case-by-case unit-specific emission limits. The PSD/NSR permitting program does not create rule-based emission limits.

Public Comments on SIP Notice

FLORIDA ELECTRIC POWER COORDINATING GROUP, INC. (FCG)

3000 Bayport Drive, Suite 600, (813) 289-5644 • FAX (813) 289-5646
TAMPA, FLORIDA 33607-8411



November 11, 2016

VIA EMAIL AND U.S. MAIL

Mr. Preston McLane
Preston.McLane@dep.state.fl.us
Florida Department of Environmental Protection
Division of Air and Resource Management
2600 Blairstone Road, MS 5500
Tallahassee, FL 32399-2400

Re: FCG-EC Request for Confirmation Regarding DEP's October 13 Proposed SIP Revision

Dear Mr. McLane:

The Environmental Committee of the Florida Electric Power Coordinating Group (FCG-EC) submits this letter in response to the Department's proposed SIP revision, noticed on October 13, 2016 (Vol.42/200, F.A.R., p. 4532). The FCG-EC understands that DEP recently finalized revisions to rule 62-210.700, F.A.C., as part of its response to EPA's SSM SIP Call, published on June 12, 2015 (88 Fed. Reg. 33840), and that these rule revisions are included in the proposed SIP revision.

DEP's rule revisions are clear that after May 22, 2018, rule 62-210.700(1) and (2), F.A.C., will no longer apply to specific limits incorporated into Florida's State Implementation Plan (SIP), or limits established in future PSD or nonattainment NSR permits. The structure of these revisions is equally clear that rule 62-210.700, F.A.C., remains in effect for other specific limits that are not expressly incorporated into Florida's SIP. Accordingly, the FCG-EC requests written confirmation that these revisions will only impact existing air permits to the extent that the permit limits are expressly incorporated into Florida's SIP.

Thank you for your attention to this matter. If you have any questions or wish to discuss this matter further, please contact me at (813)228-1282, or Robert Manning at (850)425-2263.

Sincerely,

Byron Burrows
Chair, FCG Air Subcommittee

Cc: Jeff Koerner, DEP
Hastings Read, DEP
Terri Long, DEP
FCG Environmental Committee
FCG Air Subcommittee
Robert Manning, HGS

DEP Response to Public Comments

- DEP Response to Florida Electric Power Coordinating Group Letter

On November 11, 2016, the Florida Electric Power Coordinating Group (FCG) submitted comments on Florida's proposed SIP revision addressing Excess Emissions.

FCG Comment 1: FCG sought written confirmation from the Department that the proposed SIP revision “will only impact existing air permits to the extent that the permit limits are expressly incorporated into Florida's SIP.”

Response to FCG Comment 1: The purpose of the Department's SIP revision is to ensure that Subsections 62-210.700(1) and (2), F.A.C., do not apply to any SIP-approved emission limit after the sunset date of May 22, 2018. Existing air permits impacted by this SIP revision are those permits that contain one or more SIP-approved emission limits (i.e., permits that include one or more SIP-approved emission limit based in a Florida rule that applies to a specific source category, and permits that include one or more SIP-approved permit-based emission limits that only applies to a designated unit or units as described in the facility's operating permit). Unit-specific SIP-approved emission limits are distinguishable from unit-specific emission limits established pursuant to Florida's New Source Review (NSR) / Prevention of Significant Deterioration (PSD) program (Rules 62-212, 400 and 62-212.500, F.A.C.). Unit-specific emission limits established pursuant to Florida's NSR/PSD program before October 23, 2016, which are not expressly incorporated into Florida's SIP, can continue to rely on Subsections 62-210.700(1) and (2), F.A.C., to the extent that the emission limits set through the NSR/PSD process relied upon those rule provisions at the time that the emission limits were established.