

BEFORE THE STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

In re: MCC Technology, Inc.

Petition for Variance

OGC File No. 01-0053

FINAL ORDER GRANTING PETITION FOR
VARIANCE FROM RULE 62-522.300(3), F.A.C.

On December 4, 2000, MCC Technology, Inc., filed a petition for variance from requirements in rule 62-522.300(3) of the Florida Administrative Code, under section 120.542 of the Florida Statutes and rule 28-104.002 of the Florida Administrative Code. The petition was for a variance from rule 62-522.300(3), which prohibits a zone of discharge for discharges through wells, in order to use its in-situ remedial technology. This technology process involves the use of wells or borings which is considered installation of one or more temporary Class V underground injection control wells at the site of contamination. A notice of receipt of the petition was published in the Florida Administrative Weekly on January 26, 2001.

1. Petitioner is located at 11445 East Via Linda, # 2, Scottsdale, AZ 85259.

2. MCC Technology, Inc., wants to use a patented Biosparge process, which is used in the biodegradation of petroleum hydrocarbons, MTBE, BTEX, and other petroleum-based contaminants in soil and ground water.

3. Under rule 62-520.420 of the Florida Administrative Code, the standards for Class G-II ground waters include the primary and secondary drinking water standards of rules 62-550.310 and 62-550.320 of the Florida Administrative Code.

4. Biosparge is a vapor-phase, closed-loop, recirculating/re-injection-type of in situ ground water and soil remediation system for petroleum, chlorinated solvents, and other suitable contaminants. It uses nutrients, surfactants, and hydrogen peroxide to stimulate indigenous microorganisms already present at a contaminated site to bioremediate the contaminants of concern. The system recovers vapors from one end of the underground contamination plume and partially treats them in an aboveground vessel with the nutrients, surfactants, and hydrogen peroxide, and then re-injects them at the other end of the plume, thereby forming the closed-loop re-injection system. The vapors from the aboveground vessel are re-injected and may contain varying amounts of the nutrients, surfactants, and hydrogen peroxide, and varying concentrations of partially treated unoxidized contaminants and their intermediate degradation

products. In time, as the system continues to partially treat and re-inject vapors, the concentrations of the contaminants of concern gradually decrease to cleanup target levels in the subsurface, leaving only the ultimate products of the biodegradation, which are carbon dioxide and water, as well as chloride in the case of chlorinated solvent remediation. Studies have shown that all co-metabolites species are short-lived, are used as a food source, and are fully consumed in the degradation process.

5. It is not possible or practical to attempt to identify every conceivable contaminant or partially-treated contaminant that could be re-injected by the Biosparge system. However, for remediation of sites in Florida, it is expected that the following parameters will most often be present in the re-injected vapor, which could cause a temporary exceedance of the following ground water standards or cleanup target levels: Ammonia 2.8 mg/L; Chloride 250 mg/L; Nitrate 10 mg/L; Nitrite 1 mg/L; Benzene 0.001mg/L; Toluene 0.04 mg/L; Ethylbenzene 0.03 mg/L; Xylenes 0.02 mg/l; Methyl tertiary butyl ethyl .05 mg/L; Naphthalene .02 mg/l; 1-Methylnaphthalene .02 mg/L; 2-Methylnaphthalene .02 mg/L; Perchloroethylene .003 mg/L; Trichloroethylene .003 mg/L; trans 1,2-Dichloroethylene 0.1 mg/l; Vinyl chloride .001 mg/L; 1,1,1-Trichloroethane .2

mg/L. The exceedances of these contaminants above their ground water standards target cleanup level, has no anticipated adverse impacts to human health because such exceedances will occur only in ground water at a site already contaminated by petroleum products or other contaminants, and the ground water is not presently used for domestic purposes. No other constituents of the injected product or resulting remediation by-products will exceed any drinking water standard or ground water cleanup target level. These contaminants will return to meeting the their respective standards or levels, or natural background, whichever is less, within two years from injection.

6. The injection of this product through temporary wells or borings is considered a type of underground injection control well, Class V, Group 4, "injection wells associated with an aquifer remediation project," as described in rule 62-528.300(1)(e)4 of the Florida Administrative Code. Under rule 62-528.630(2)(c), "Class V wells associated with aquifer remediation projects shall be authorized under the provisions of a remedial action plan . . . provided the construction, operation, and monitoring of this Chapter are met."

7. The rule (62-522.300(3)) from which this petition seeks a variance prohibits the Department from granting a

zone of discharge for a discharge through an injection well to Class G-II ground water. Strict adherence to this rule would preclude the Department from granting approval for the in-situ use of the Biosparge process for remediation of contaminated ground water and soils.

8. The applicable rules state in pertinent part:

62-522.300(1) . . . [N]o installation shall directly or indirectly discharge into any ground water any contaminant that causes a violation in the ground water quality standards and criteria for the receiving ground water as established in Chapter 62-520, F.A.C., except within a zone of discharge established by permit or rule pursuant to this chapter.

62-522.300(3) Other discharges through wells or sinkholes that allow direct contact with Class G-I, F-I, or Class G-II ground water shall not be allowed a zone of discharge.

9. MCC Technology, Inc., has stated in its petition that to apply the zone of discharge prohibition to its use of this remediation technology would create a substantial hardship because the use of the technology is to remediate contaminated ground water as quickly and inexpensively as possible, without causing further harm to the environment or public health. The petition also states that other methods of remediation not using in-situ products or processes are more costly and take longer. Remediation would improve the water quality, and to prohibit any exceedance of the drinking

water standards or target cleanup levels in such a small area of already contaminated ground water and for short duration would cause a substantial hardship. This small and temporary exceedance is not the usual occurrence, nor are most dischargers involved in the remediation of contaminated ground water. By allowing the use of the injected Biosparge process, the clean up of the contaminated ground water and soils will be accelerated and returned to a usable condition. In addition, the use of the injected Biosparge process has been tentatively approved by the Department's Division of Waste Management as being a sound environmental solution to the contamination, so long as MCC Technology, Inc., is able to obtain a variance.

10. Zones of discharge for the use of the injected Biosparge process are necessary because of the temporary exceedance of the parameters listed in paragraph 5 above in the ground water immediately surrounding the injection. Because this ground water is already contaminated and does not meet all applicable standards or levels, allowing a zone of discharge as part of an approved remediation strategy for contaminants meets the purpose of the underlying statute, which is to improve the quality of the waters of the state for beneficial uses. Such contaminated ground water is not

presently used for drinking purposes, thus posing no threat to human health.

11. The Department received no comments about the petition for variance.

12. For the foregoing reasons, MCC Technology, Inc., has demonstrated that it is entitled to a variance from the prohibition of zones of discharge in rule 62-522.300(3) for its remedial product, with the conditions below.

a. Use of the injected Biosparge process must be through a Department-approved remedial action plan, or other Department-enforceable document, for an aquifer remediation project and such approval shall not be solely by a delegated local program.

b. The discharge to the ground water must be through a Class V, Group 4 underground injection control well that meets all of the applicable construction, operating, and monitoring requirements of chapter 62-528 of the Florida Administrative Code.

c. The extent of the zone of discharge for Ammonia, Chloride, Nitrate, Nitrite, Benzene, Toluene, Ethylbenzene, Xylenes, Methyl tertiary butyl ethyl, Naphthalene, 1-Methylnaphthalene, 2-Methylnaphthalene, Perchloroethylene, Trichloroethylene, trans 1,2-Dichloroethylene, Vinyl chloride, and 1,1,1-Trichloroethane shall be a 100-foot

radius from the point of injection and the duration of the zone of discharge shall be two years from last injection. This will allow ample time for the temporarily exceeded parameters to return to below their respective drinking water standards, target levels, or natural background, whichever is less.

d. The injection of the product shall be at such a rate and volume that no undesirable migration occurs of either the product, its by-products, or the contaminants already present in the aquifer.

e. The Department-approved remedial action plan shall address appropriate ground water monitoring requirements associated with the use of the injected Biosparge process for remediation based on site-specific hydrogeology and conditions. These shall include the sampling of ground water at monitoring wells located outside the contamination plume, before the use of Biosparge, to determine the background levels of applicable parameters from the paragraph 12 c list. Selection of applicable parameters from the list, and the addition of site-specific parameters not already included in the list, shall be based on knowledge of a cleanup site's contaminants of concern, per a Department-approved remedial action plan. Monitoring shall be required for all the applicable parameters in ground water that is downgradient of

injection points for at least two years after active remediation.

f. This variance specifically prohibits the use of Biosolve surfactant for any remediation permissible under this variance.

This order will become final unless a timely petition for an administrative hearing is filed under sections 120.569 and 120.57 of the Florida Statutes before the deadline for a filing a petition. The procedures for petitioning for a hearing are set forth below.

A person whose substantial interests are affected by the Department's action may file for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000.

Petitions filed by the MCC Technology, Inc., or any of the parties listed below must be filed within 21 days of receipt of this written notice. Petitions filed by any other persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes must be filed within 21 days of publication of the public notice receipt of

the written notice, whichever occurs first. Under section 120.60(3), however, any person who asked the Department for notice of agency action may file a petition within 21 days of receipt of such notice, regardless of the date of publication. The petitioner shall mail a copy of the petition to MCC Technology, Inc., 11445 East Via Linda # 2, Scottsdale, AZ 85259, at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under sections 120.569 and 120.57 of the Florida Statutes, or to intervene in this proceeding and participate as a party to it. Any subsequent intervention (in a proceeding initiated by another party) will be only at the discretion of the presiding officer upon the filing of a motion in compliance with rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information:

(a) The name, address, and telephone number of each petitioner; the Department case identification number and the county in which the subject matter or activity is located;

(b) A statement of how and when each petitioner received notice of the Department action;

(c) A statement of how each petitioner's substantial interests are affected by the Department action;

(d) A statement of the material facts disputed by the petitioner, if any;

(e) A statement of facts that the petitioner contends warrant reversal or modification of the Department action;

(f) A statement of which rules or statutes the petitioner contends require reversal or modification of the Department action; and

(g) A statement of the relief sought by the petitioner, stating precisely the action that the petitioner wants the Department to take.

A petition that does not dispute the material facts on which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by rule 28-106.301.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department have the right to petition to

become a party to the proceeding, in accordance with the requirements set forth above.

Mediation under section 120.573 of the Florida Statutes is not available for this proceeding.

This action is final and effective on the date filed with the Clerk of the Department unless a petition is filed in accordance with the above.

Any party to this order has the right to seek judicial review of it under section 120.68 of the Florida Statutes, by filing a notice of appeal under rule 9.110 of the Florida Rules of Appellate Procedure with the clerk of the Department in the Office of General Counsel, Mail Station 35, 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000, and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate district court of appeal. The notice must be filed within thirty days after this order is filed with the clerk of the Department.

DONE AND ORDERED this 30 day of April 2001 in Tallahassee, Florida.

Mimi Drew

Mimi A. Drew
Director
Division of Water Resource
Management

Florida Department of
Environmental Protection
2600 Blair Stone Road
Mail Station 3500
Tallahassee, Florida 32399-2400
Telephone: (850) 487-1855

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to s.
120.52, Florida Statutes, with the designated Department Clerk,
receipt of which is hereby acknowledged.

Lisa Sureswaran
Clerk

5/2/01
Date

Copies furnished to:

George Heuler, UIC Section, MS 3530
Jeff Lockwood, Bur. Waste Cleanup, MS 4535
Brent Hartsfield, Bur. Waste Cleanup, MS 4520
Rick Ruscito, Petroleum Cleanup, MS 4580
Cynthia Christen, OGC

NOTICE OF RIGHTS OF SUBSTANTIALLY AFFECTED PERSONS

This determination is final and effective on the date filed with the Clerk of the Department unless a timely and sufficient petition for an administrative hearing is filed under sections 120.569 and 120.57 of the Florida Statutes as provided below. If a sufficient petition for an administrative hearing is timely filed, this determination automatically becomes only proposed agency action subject to the result of the administrative review process. Therefore, on the filing of a timely and sufficient petition, this action will not be final and effective until further order of the Department. The procedures for petitioning for a hearing are set forth in Rules 28-106.201-.202 and 62-110.106, Florida Administrative Code, and are summarized below.

Be advised that, under Florida law, your neighbors and other parties who may be substantially affected by this determination have a right to request an administrative hearing. Because the administrative hearing process is designed to re-determine final agency action, the filing of a petition for an administrative hearing may result in a final determination different from this determination. Generally speaking, the 21-day period for filing a petition begins to run on the date of publication of the notice (if published)

or the date a person receives actual notice, whichever occurs first (see below).

The Department will not publish notice of this determination. Publication of notice by you is optional and is not required for you to proceed. However, in the event that an administrative hearing is held and the Department's determination is reversed, proceeding with the proposed activity before the time period for requesting an administrative hearing has expired would mean that the activity was conducted without the required permit or authorization. In cases where notice is not published, there may be instances in which a substantial amount of time could pass before an affected person receives notice of the agency action.

If you wish to limit the time within which all substantially affected persons may request an administrative hearing, you may elect to publish, at your own expense, the notice specified below in the legal advertisement section of a newspaper of general circulation in the county where the activity is to take place. A single publication will suffice.

If you wish to limit the time within which any specific person(s) may request an administrative hearing, you may

provide direct notice to such person(s), by certified mail and enclosing a copy of this determination.

For the purposes of publication, a newspaper of general circulation means a newspaper meeting the requirements of sections 50.011 and 50.031 of the Florida Statutes. In the event you do publish this notice, within seven days of publication, you must provide to the following address proof of publication issued by the newspaper as provided in section 50.051 of the Florida Statutes. If you provide direct written notice to any person as noted above, you must provide to the following address a copy of the direct written notice: Department of Environmental Protection, Office of General Counsel, MS 35, 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000; Attn: Cynthia Christen.

NOTICE

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

The Department of Environmental Protection gives notice that a variance from the zone of discharge prohibition for injection through wells has been granted to MCC Technology, Inc., for the use of a bioremediation product for aquifer remediation.

A person whose substantial interests are affected by the Department's action may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received by the clerk) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000.

Mediation is not available.

If a timely and sufficient petition for an administrative hearing is filed, other persons whose substantial interests will be affected by the outcome of the administrative process have the right to petition to intervene in the proceeding. Intervention will be permitted only at the discretion of the presiding officer upon the filing of a motion in compliance with rule 28-106.205 of the Florida Administrative Code.

In accordance with rules 28-106.111(2) and 62-110.106(3)(a)(4), petitions for an administrative hearing must be filed within 21 days of publication of the notice or receipt of written notice, whichever occurs first. Under rule 62-110.106(4) of the Florida Administrative Code, a person whose substantial interests are affected by the Department's action may also request an extension of time to file a petition for an administrative hearing. The Department may, for good cause shown, grant the request for an extension of time. Requests for extension of time must be filed with the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000 before the applicable deadline. A timely request for extension of time will toll the running of the time period for filing a petition until the request is acted upon. Upon motion by the requesting party showing that the failure to file a request for an extension of time before the deadline was the result of excusable neglect, the Department may also grant the requested extension of time.

The petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition for an administrative hearing within the appropriate time period shall constitute a waiver of that right.

A petition that disputes the material facts on which the Department's action is based must contain the following information:

(a) The name and address of each agency affected and each agency's file or identification number, if known;

(b) The name, address, and telephone number of the petitioner; the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests are or will be affected by the agency determination;

(c) A statement of when and how the petitioner received notice of the agency decision;

(d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate;

(e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action;

(f) A statement of the specific rules or statutes that the petitioner contends require reversal or modification of the agency's proposed action; and

(g) A statement of the relief sought by the petitioner, stating precisely the action that the petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts on which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by rule 28-106.301.

Under sections 120.569(2)(c) and (d) of the Florida Statutes, a petition for administrative hearing shall be dismissed by the agency if the petition does not substantially comply with the above requirements or is untimely filed.

Complete copies of all documents relating to this determination are available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, at Office of General Counsel, Room 636, The Douglas Building, 3900 Commonwealth Blvd., Tallahassee, Florida. Please call Cynthia Christen to set up appointment, 850/921-9610.

CERTIFICATE OF SERVICE

I certify that a copy of the foregoing Final Order has been furnished to Edmiudo Uribe, President, by facsimile at 480/451-9799, and to him by U.S. Mail at MCC Technology, Inc., 11445 East Via Linda # 2, Scottsdale, AZ 85259, on this _____ day of _____ 2001.

Counsel

Cynthia K. Christen
Sr. Assistant General

Department of
Environmental
Protection
3900 Commonwealth Blvd.
MS 35
Tallahassee, FL 32399-3000
Telephone 850/921-9610