

BEFORE THE STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

In re: JRW Bioremediation LLC
Petition for Variance

OGC Case No.: 10-1502

FINAL ORDER GRANTING PETITION FOR
VARIANCE FROM RULE 62-520.310(9), F.A.C.

On April 26, 2010, JRW Bioremediation LLC (JRW), filed a petition for variance, under Section 120.542 of the Florida Statutes, from requirements in rule 62-522.300(3) (renumbered as 62-520.310(9)), of the Florida Administrative Code. The petition was for a variance from rule 62-520.310(9), which prohibits a zone of discharge for discharges through wells, in order to use its in-situ remedial product. This process involves the use of wells or borings which is considered installation of one or more temporary Class V underground injection control wells at the site of contamination. A notice of receipt of the petition was published in the Florida Administrative Weekly on May 21, 2010.

1. Petitioner is located at 14321 W. 96th Terrace, Lenexa, Kansas 66215.

2. JRW manufactures a remediation product called CHITOREM[®] that is used for the remediation of ground water contaminated with halogenated aromatics, aliphatic hydrocarbons, and other ground water contaminants.

3. Under rule 62-520.420 of the Florida Administrative Code, the standards for Class G-II ground waters include the primary and secondary drinking water standards of rules 62-550.310 and 62-550.320, and the minimum criteria of rule 62-520.410 (as reflected in chapter 62-777 as ground water target cleanup levels). However, on August 27, 2001, Rules 62-520.310(8) and 62-528.605(3), F.A.C., were amended to allow injection of products for ground water cleanup that do not meet the primary or secondary drinking water standards. Specific limitations were included in the rules. The use of CHITOREM[®] now only requires a variance for antimony, arsenic, selenium, and thallium, as described below. Color, odor, and total dissolved solids will be addressed in the Remedial Action Plan, pursuant to Rule 62-520.310(8)(c), without the need for a variance for those parameters.

4. CHITOREM[®] is used as a carbon substrate to promote anaerobic degradation and reduction of contaminants. CHITOREM[®] is a natural product made from waste crustacean shells (chitin). The waste crustacean shells may contain trace metals. These trace metal impurities may be released into the ground water slowly over time. This product is to be injected through wells or borings into the soil and ground water. The injected fluid is to consist of chitin, proteins, and minerals, mixed with water. The injected fluid, at a maximum concentration of twenty percent CHITOREM[®] by weight, may contain as much as 0.063 mg/L antimony

(primary drinking water standard 0.006 mg/L), 0.085 mg/L arsenic (primary drinking water standard 0.01 mg/L), 0.068 mg/L selenium (primary drinking water standard 0.05 mg/L), and 0.055 mg/L thallium (primary drinking water standard 0.002 mg/L). Antimony, arsenic, selenium, and thallium, are only expected to exceed their drinking water standard within an area extending out in a radius of 50 feet from the immediate point of injection for a period of 3 years. The presence of these metals above their primary drinking water standards has no anticipated adverse impacts to human health because such exceedances will occur only in ground water at a site already contaminated and the ground water is not presently used for domestic purposes. No other constituents of the injected product or resulting remediation will exceed any other primary or secondary drinking water standard not covered by the rule amendments discussed in paragraph 3 above. Antimony, arsenic, selenium, and thallium, will return to meeting their respective standards or naturally occurring background values, whichever is less stringent, within, at most, 3 years from injection.

5. The injection of this product through temporary wells or borings is considered a type of underground injection control well, Class V, Group 4, "injection wells associated with an aquifer remediation project," as described in rule 62-528.300(1)(e)4 of the Florida Administrative Code. Under rule 62-528.630(2)(c), "Class V wells associated with aquifer

remediation projects shall be authorized under the provisions of a remedial action plan . . . provided the construction, operation, and monitoring of this Chapter are met."

6. The rule (62-520.310(9)) from which this petition seeks a variance prohibits the Department from granting a zone of discharge for a discharge through an injection well to Class G-II ground water. Strict adherence to this rule would preclude the Department from granting approval for the use of CHITOREM[®] for remediation of contaminated ground water and soils.

7. The applicable rules state in pertinent part:

62-520.310(7) . . . [N]o installation shall directly or indirectly discharge into any ground water any contaminant that causes a violation in the ground water quality standards and criteria for the receiving ground water as established in Chapter 62-520, F.A.C., except within a zone of discharge established by permit or rule pursuant to this chapter.

62-520.310(9) Other discharges through wells or sinkholes that allow direct contact with Class G-I, F-I, or Class G-II ground water shall not be allowed a zone of discharge.

8. JRW has stated in its petition that to apply the zone of discharge prohibition to the use of CHITOREM[®] would create a substantial hardship or would violate the principles of fairness because the use of this product is to remediate contaminated ground water as quickly and inexpensively as possible, without causing further harm to the environment or public health. The petition also states that remediation using CHITOREM[®] allows for a quicker and more effective clean up of contaminated ground

water at a substantial cost savings over traditional remediation methods. Remediation would improve the water quality, and to prohibit any exceedance of the specified ground water cleanup target levels, in such a small area of already contaminated ground water and for short duration would cause a substantial hardship. By allowing the use of CHITOREM[®], the cleanup of the contaminated ground water and soils will be accelerated and returned to a usable condition. In addition, the use of this product has been tentatively approved by the Department's Division of Waste Management as being a sound environmental solution of the contamination, so long as JRW is able to obtain a variance.

9. Zones of discharge for the use of CHITOREM[®] are necessary because of the temporary exceedance of the antimony, arsenic, selenium, and thallium standards in the ground water immediately surrounding the injection. Because this ground water is already contaminated and does not meet all applicable standards, allowing a zone of discharge as part of an approved remediation strategy for sites contaminated with halogenated aromatics, aliphatic hydrocarbons, or other ground water contaminants meets the purpose of the underlying statute, which is to improve the quality of the waters of the state for beneficial uses. Such contaminated ground water is not presently used for drinking purposes, thus posing no threat to human health.

10. The Department received no comments concerning the petition for variance.

11. For the foregoing reasons, JRW has demonstrated that it is entitled to a variance from the prohibition of zones of discharge in rule 62-520.310(9) for the use of CHITOREM[®], with the conditions below.

a. Use of this product must be through a Department-approved remedial action plan, or other Department-enforceable document, for an aquifer remediation project and such approval shall not be solely by a delegated local program.

b. The discharge to the ground water must be through a Class V, Group 4 underground injection control well which meets all of the applicable construction, operating, and monitoring requirements of chapter 62-528 of the Florida Administrative Code.

c. The extent of the zone of discharge for antimony, arsenic, selenium, and thallium shall be a 50-foot radius from the point of injection and the duration of the zone of discharge shall be at the most 3 years. This will allow ample time for the temporarily exceeded parameters to return to the drinking water standards set forth in chapter 62-550 of the Florida Administrative Code, or their naturally occurring background levels at a site, whichever is less stringent.

d. The injection of CHITOREM[®] shall be at such a rate and volume (no greater than 20 percent slurry by weight) that no

undesirable migration occurs of the product, its by-products, or the contaminants already present in the aquifer.

e. The Department-approved remedial action plan shall address appropriate ground water monitoring requirements associated with the use of CHITOREM[®] for remediation based on site-specific hydrogeology and conditions. These shall include the sampling of ground water at monitoring wells located outside the contamination plume, before use of CHITOREM[®], to determine the naturally occurring background levels of antimony, arsenic, selenium, and thallium, which are the parameters pertinent to this variance, and color, odor, and total dissolved solids (TDS). Color, odor, and TDS are included in this monitoring because the use of this product may also cause a temporary exceedance of their respective secondary drinking water standard. Antimony, arsenic, selenium, thallium, color, odor, and TDS should also be included in the monitoring of the ground water downgradient from the injection points for at least 3 years after active remediation. (Color, odor, and TDS are included herein solely because of the rules amendments discussed in paragraph 3 above, which require any parameter that will not meet its standard to be included in the remedial action plan for monitoring and zone of discharge purposes.)

This order will become final unless a timely petition for an administrative proceeding is filed pursuant to the provisions of sections 120.569 and 120.57 of the Florida Statutes. Any person

whose substantial interests are affected by the Department's action may file such a petition. The petition must contain the information set forth below and must be filed (received) in the Department's Office of General Counsel, 3900 Commonwealth Boulevard, MS 35, Tallahassee, Florida 32399-3000. Petitions filed by JRW Bioremediation LLC, or any of the parties listed below must be filed within 21 days of receipt of this order. Petitions filed by any other person must be filed within 21 days of publication of the public notice or within 21 days of receipt of this order, whichever occurs first. Under section 120.60(3), however, any person who asked the Department for notice of agency action may file a petition within 21 days of receipt of such notice, regardless of the date of publication. A petitioner must mail a copy of the petition to JRW Bioremediation LLC, 14321 W. 96th Terrace, Lenexa, Kansas 66215 at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under sections 120.569 and 120.57 of the Florida Statutes, or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will only be at the discretion of the presiding officer upon the filing of a motion in compliance with rule 28-106.205 of the Florida Administrative Code.

A petition that disputed the material facts on which the Department's action is based must contain the following information:

(a) The name, address, and telephone number of each petitioner; the Department case identification number and the county in which the subject matter or activity is located;

(b) A statement of how and when each petitioner received notice of the Department action;

(c) A statement of how each petitioner's substantial interests are affected by the Department action;

(d) A statement of the material facts disputed by the petitioner, if any;

(e) A statement of facts that the petitioner contends warrant reversal or modification of the Department action;

(f) A statement of which rules or statutes the petitioner contends require reversal or modification of the Department action; and

(g) A statement of the relief sought by the petitioner, stating precisely the action that the petitioner wants the Department to take.

A petition that does not dispute the material facts on which the Department's action is based shall state that no such facts are in dispute and otherwise contain the same information as set forth above, as required by rule 28-106.301.


Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department final action may be different from the position taken by it in this order. Persons whose substantial interests will be affected by any such final decision of the Department on the petitions have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

Mediation under section 120.573 of the Florida Statutes is not available for this proceeding.

This action is final and effective on the date filed with the Clerk of the Department unless a petition is filed in accordance with the above.

A party to this order has the right to seek judicial review of it under section 120.68 of the Florida Statutes, by filing a notice of appeal under rule 9.110 of the Florida Rules of Appellate Procedure with the clerk of the Department in the Office of General Counsel, Mail Station 35, 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000, and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate district court of appeal. The notice must be filed within thirty days after this order is filed with the clerk of the Department.


DONE AND ORDERED this 23rd day of August 2010 in
Tallahassee, Florida.



Janet G. Llewellyn
Director
Division of Water Resource
Management
Department of Environmental
Protection

2600 Blair Stone Road
Mail Station 3500
Tallahassee, Florida 32399-2400
Telephone (850) 245-8335

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to s. 120.52, Florida Statutes, with the designated Agency Clerk, receipt of which is hereby acknowledged. All copies were mailed before the close of business on the date below to the persons listed.


Clerk

08-25-10
Date

Copies furnished to:

Elsa Potts, MS 3535
Cynthia Christen, MS 35
Donnie McClaugherty, MS 3530
George Heuler, MS 3530
Cathy McCarty, MS 3530
Lea Crandall, MS 35

Rick Ruscito, MS 4590
Robert Cowdery, MS 4520
Jeff Lockwood, MS4535
Bryan Baker, MS 4550
Anil Desai, Central District
Suzanne Printy, JAPC

NOTICE OF RIGHTS OF SUBSTANTIALLY AFFECTED PERSONS

This determination is final and effective on the date filed with the Clerk of the Department unless a timely and sufficient petition for an administrative hearing is filed under sections 120.569 and 120.57 of the Florida Statutes as provided below. If a sufficient petition for an administrative hearing is timely filed, this determination automatically becomes only proposed agency action subject to the result of the administrative review process. Therefore, on the filing of a timely and sufficient petition, this action will not be final and effective until further order of the Department. The procedures for petitioning for a hearing are set forth in Rules 28-106.201-.202 and 62-110.106, Florida Administrative Code, and are summarized below.

Be advised that, under Florida law, your neighbors and other parties who may be substantially affected by this determination have a right to request an administrative hearing. Because the administrative hearing process is designed to re-determine final agency action, the filing of a petition for an administrative hearing may result in a final determination different from this determination. Generally speaking, the 21-day period for filing a petition begins to run on the date of publication of the notice (if published) or the date a person receives actual notice, whichever occurs first (see below).

The Department will not publish notice of this determination. Publication of notice by you is optional and is

not required for you to proceed. However, in the event that an administrative hearing is held and the Department's determination is reversed, proceeding with the proposed activity before the time period for requesting an administrative hearing has expired would mean that the activity was conducted without the required permit or authorization. In cases where notice is not published, there may be instances in which a substantial amount of time could pass before an affected person receives notice of the agency action.

If you wish to limit the time within which all substantially affected persons may request an administrative hearing, you may elect to publish, at your own expense, the notice specified below in the legal advertisement section of a newspaper of general circulation in the county where the activity is to take place. A single publication will suffice.

If you wish to limit the time within which any specific person(s) may request an administrative hearing, you may provide direct notice to such person(s), by certified mail and enclosing a copy of this determination.

For the purposes of publication, a newspaper of general circulation means a newspaper meeting the requirements of sections 50.011 and 50.031 of the Florida Statutes. In the event you do publish this notice, within seven days of publication, you must provide to the following address proof of publication issued by the newspaper as provided in section 50.051 of the Florida

Statutes. If you provide direct written notice to any person as noted above, you must provide to the following address a copy of the direct written notice: Florida Department of Environmental Protection, UIC Program, MS 3530, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400; Attn: Cathy McCarty.

NOTICE
STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

The Department of Environmental Protection gives notice that variance from the zone of discharge prohibition for injection through wells has been granted to JRW Bioremediation LLC, for the use of the CHITOREM[®] for aquifer remediation.

A person whose substantial interests are affected by the Department's action may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received by the clerk) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000.

Mediation is not available.

If a timely and sufficient petition for an administrative hearing is filed, other persons whose substantial interests will be affected by the outcome of the administrative process have the right to petition to intervene in the proceeding. Intervention will be permitted only at the discretion of the presiding officer upon the filing of a motion in compliance with rule 28-106.205 of the Florida Administrative Code.

In accordance with rules 28-106.111(2) and 62-110.106(3)(a)(4), petitions for an administrative hearing must be filed within 21 days of publication of the notice or receipt of written notice, whichever occurs first. Under rule 62-110.106(4) of the Florida Administrative Code, a person whose substantial interests are affected by the Department's action may also request an extension of time to file a petition for an administrative hearing. The Department may, for good cause shown, grant the request for an extension of time. Requests for extension of time must be filed with the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000 before the applicable deadline. A timely request for extension of time will toll the running of the time period for filing a petition until the request is acted upon. Upon motion by the requesting party showing that the failure to file a request for an extension of time before the deadline was the result of excusable neglect, the Department may also grant the requested extension of time.

The petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition for an administrative hearing within the appropriate time period shall constitute a waiver of that right.

A petition that disputes the material facts on which the Department's action is based must contain the following information:

(a) The name and address of each agency affected and each agency's file or identification number, if known;

(b) The name, address, and telephone number of the petitioner; the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests are or will be affected by the agency determination;

(c) A statement of when and how the petitioner received notice of the agency decision;

(d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate;

(e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action;

(f) A statement of the specific rules or statutes that the petitioner contends require reversal or modification of the agency's proposed action; and

(g) A statement of the relief sought by the petitioner, stating precisely the action that the petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts on which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by rule 28-106.301.

Under sections 120.569(2)(c) and (d) of the Florida Statutes, a petition for administrative hearing shall be dismissed by the agency if the petition does not substantially comply with the above requirements or is untimely filed.

Complete copies of all documents relating to this determination are available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, at Florida Department of Environmental Protection, UIC Program, Room 212F, 2600 Blair Stone Road, Tallahassee, Florida. Please call Cathy McCarty to set up appointment, 850/245-8654.